

**DATA GENERAL  
CORPORATION**

Southboro,  
Massachusetts 01772  
(617) 485-9100

PROGRAM


High Speed Reader/Punch Test

TAPES

Binary 095-000014-06

ABSTRACT

High Speed Reader/Punch Test is a maintenance program designed to test the Type 4012A high speed punch and the Type 6013 or 4011B high speed readers. Tapes may be punched or read on the Teletype if one of the high speed devices does not exist in the user's system.



0001 .MAIN

01  
02  
03  
04  
05  
06  
07  
08  
09  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31

```
*****  
|  
| NAME: HSRP.SR                                PART NUMBER: 094-000012  
|  
| DESCRIPTION: HIGH SPEED READER/PUNCH TEST  
|  
| REVISION HISTORY:  
|  
|          REV.          DATE  
|  
|          00          07/01/69  
|          01          04/07/70  
|          02          12/08/70  
|          03          11/02/72  
|          04          11/29/72  
|          05          04/09/73  
|          06          03/01/74  
|  
|  
| COPYRIGHT (C) DATA GENERAL CORPORATION, 1969, 1970, 1972,  
| 1973, 1974  
| ALL RIGHTS RESERVED.  
*****
```

```

01
02           /           HIGH SPEED READER/PUNCH TEST
03           /           REV 06.0
04
05           /           **** AUTO-RUN AUTO LOAD MODIFIED 2/25/72
06
07           /1.        ABSTRACT
08           /           HIGH SPEED READER PUNCH TEST IS A MAINTENANCE
09           /           PROGRAM DESIGNED TO TEST THE TYPE 4012A HIGH
10           /           SPEED PUNCH AND THE TYPE 6013 OR 4011B HIGH
11           /           SPEED READERS. TAPES MAY BE PUNCHED OR READ ON
12           /           THE TELETYPE IF ONE OF THE HIGH SPEED DEVICES
13           /           DOES NOT EXIST IN THE USERS SYSTEM.
14           /           IF A CRT DISPLAY IS IN USE BOTH THE HIGH-
15           /           SPEED READER AND PUNCH MUST BE IN THE
16           /           SYSTEM FOR A MEANINGFULL TEST.
17
18           /12.       MACHINE REQUIREMENTS
19           /12.1      NOVA/SUPERNOVA FAMILY PROCESSOR
20           /12.2      2K READ/WRITE MEMORY, MINIMUM
21           /12.3      TELETYPE OR CRT FOR CONSOLE I/O
22           /12.4      OPTIONAL EQUIPMENT
23           /12.4.1    TYPE 4012A PUNCH AND CONTROL
24           /12.4.2    TYPE 4011A HIGH SPEED READER
25           /12.4.3    TYPE 4011B HIGH SPEED READER
26
27           /13.       SWITCH SETTINGS
28           /13.1      STARTING ADDRESS
29           /13.1.1    40=START PUNCH DIAGNOSTIC
30           /13.1.2    41=START READER DIAGNOSTIC
31           /13.1.3    42=START PUNCH FROM SWITCHES
32           /13.1.4    43=START PUNCH COUNT ROUTINE
33           /13.1.5    44=START READ COUNT ROUTINE
34           /13.1.6    45=START PUNCH ALTERNATE ROUTINE
35           /13.1.7    46=START READ ALTERNATE ROUTINE
36           /13.1.8    47=START PUNCH FLOATING ZERO
37           /13.1.9    50=START READ FLOATING ZERO
38           /13.2      SWITCH 0(1)=INHIBIT DELAYS WHEN PUNCHING
39           /           SWITCH 0(1)=PROCEED FROM ERROR IN DIAGNOSTICS.
40           /13.3      SWITCH 1(1)=INHIBIT PRINTING IN THE DIAGNOSTIC
41           /13.4      SWITCH 2(1)=PRINT FAILURE RATE
42           /13.5      SWITCH 8-15=DATA FOR THE PUNCH SWITCHS ROUTINE
43
44           /           IF THE HS READER AND PUNCH ARE IN THE
45           /           SYSTEM AND THEIR DEVICE CODES ARE NOT 12, AND
46           /           13; LOAD AC0 WITH THE EVEN DEVICE CODE AND
47           /           START AT LOC 4. THE PROGRAM WILL MODIFY
48           /           ITSELF AND HALT. SET SWITCHS TO DESIRED STARTING
49           /           ADDRESS PRESS RESET AND START.

```

```

01
02          14.      OPERATING PROCEEDURE
03          14.1      LOAD THE PROGRAM VIA THE BINARY LOADER
04          14.2      TESTING THE PAPER TAPE PUNCH
05          14.2.1    SET THE SWITCHS TO 40
06          14.2.2    PRESS START TO EXECUTE THE DIAGNOSTIC
07          14.2.3    ALLOW THE PUNCH DIAGNOSTIC TO RUN FOR
08          ;          AT LEAST ONE PASS. THE PROGRAM WILL
09          ;          TYPE A PASS MSG AT THE COMPLETION
10          ;          OF EACH PASS.
11          14.2.4    PRESS RESET
12          14.2.5    SET THE SWITCHES TO 43
13          14.2.6    PRESS START TO EXECUTE THE PUNCH
14          ;          COUNT PROGRAM.
15          14.2.7    ALLOW THE PUNCH TO PUNCH FOR AT LEAST
16          ;          10 MINUTES.
17          14.2.8    PRESS STOP AND REMOVE THE TAPE
18          ;          FROM THE PUNCH.
19          14.2.9    INSERT THE TAPE JUST PUNCHED INTO THE
20          ;          HIGH SPEED READER. THE TELETYPE READER
21          ;          MAY BE USED IF THE SYSTEM DOES NOT
22          ;          CONTAIN A HIGH SPEED READER.
23          14.2.10   POSITION THE TAPE SUCH THAT THE COUNT
24          ;          PATTERN IS OVER THE PHOTO DIODES.
25          14.2.11   CLOSE THE READER LEVER
26          14.2.12   SET THE SWITCHES TO 44
27          14.2.13   PRESS START TO CHECK THE TAPE.
28          14.2.14   THE PUNCH SHOULD ALSO BE TESTED WITH
29          ;          THE EXERCISER PROGRAM.
30          14.3      TESTING THE HIGH SPEED READER
31          14.3.1    LOAD THE READER WITH A CONTINUES LOOP
32          ;          OF TAPE WITH ALTERNATING CHARACTORS
33          ;          OF ALL ONES AND ALL ZEROS(A TAPE MAY
34          ;          BE OBTAINED BY STARTING AT LOCATION 45).
35          14.3.2    CLOSE THE READER LEVER
36          14.3.3    SET THE SWITCHES TO 41
37          14.3.4    PRESS START TO EXECUTE THE DIAGNOSTIC
38          14.3.5    ALLOW THE DIAGNOSTIC TO RUN FOR AT LEAST
39          ;          ONE PASS. THE PROGRAM WILL TYPE A
40          ;          PASS MSG AT THE END OF EACH PASS.
41          14.3.6    PRESS RESET
42          14.3.7    SET THE SWITCHES TO 46
43          14.3.8    PRESS START TO CHECK THE TAPE
44          14.3.9    THE OPERATOR SHOULD MARK THE TAPE LOOP
45          ;          AT THE SPLICE. ERRORS OCCURING AT THIS
46          ;          SPLICE SHOULD BE IGNORED.
47          14.3.10   ALLOW THE READER TO CHECK THE TAPE FOR
48          ;          AT LEAST 5 MINUTES.
49          14.3.11   THE READER SHOULD ALSO BE CHECKED
50          ;          WITH THE EXERCISER PROGRAM.

```

```

01
02      15.      PROGRAM OUTPUT/ERROR DISCRIPTION
03      15.1      ERRORS DETECTED VIA THE DIAGNOSTICS.
04      15.1.1    IF A MALFUNCTION IS DETECTED THE PROG-
05      ;          RAM WILL HALT AT LOCATION "AUTOER+6".
06      ;          THE OPERATOR MAY CHANGE SWITCH SETTINGS
07      ;          AND EXAMINE ACS AT THIS TIME IF
08      ;          DESIRED. IF SWITCHES 0 AND 1 ARE ZERO
09      ;          PRESSING CONTINUE WILL CAUSE A PRINT-
10      ;          OUT OF THE ERROR LOCATION. THE ROUTINE
11      ;          WILL ENTER A LOOP SUITABLE FOR SCOPING.
12      15.1.2    WHEN THE PROGRAM IS IN A SCOPE LOOP,
13      ;          SETTING SWITCH 2(1) WILL CAUSE THE
14      ;          FAILURE RATE TO BE PRINTED. SETTING
15      ;          SWITCH 0(1) WILL CAUSE THE PROGRAM TO
16      ;          PROCEED TO THE NEXT TEST.
17      15.2      DATA ERRORS DETECTED DURING THE READ ROUTINES
18      ;          CAUSE A PRINTOUT OF GOOD AND BAD DATA.
19
20      16.      PROGRAM DISCRIPTION/THEORY OF OPERATION
21      16.1      THE READER AND PUNCH DIAGNOSTICS CONSIST OF
22      ;          NUMERIOUS SMALL ROUTINES. EACH ROUTINE BEGINS
23      ;          WITH A INITIALIZING ROUTINE (SETUP) AND ENDS
24      ;          WITH A ITERATION ROUTINE (LOOP). BOTH THE
25      ;          SETUP AND LOOP ROUTINES ISSUE A I/O RESET
26      ;          PULSE. SYNCING ON I/O RESET WILL PERMIT THE
27      ;          LOGIC UNDER TEST TO BE OBSERVED. AT THE END
28      ;          OF EACH PASS OF THE DIAGNOSTIC A PASS MSG
29      ;          WILL BE TYPED. THE DIAGNOSTIC ROUTINES
30      ;          SHOULD BE EXECUTED PRIOR TO OTHER READER,
31      ;          PUNCH TEST.
32      16.2      THE PUNCH FROM SWITCHS ROUTINE IS PROVIDED
33      ;          SUCH THAT THE OPERATOR MAY SCOPE THE VARIOUS
34      ;          SIGNALS IN THE PUNCH AND PUNCH CONTROL.
35      16.3      THE PUNCH ALTERNATE ROUTINE IS PROVIDED TO
36      ;          PRODUCE A TAPE FOR THE READER DIAGNOSTIC.
37      16.4      THE PUNCH COUNT ROUTINE IS THE PRIME TEST
38      ;          OF THE PUNCHS ABILITY TO PUNCH DATA. A COUNT
39      ;          PATTERN IS USED SO DOUBLE PUNCHING AND FAILURE
40      ;          TO PUNCH MAY BE OBSERVED.
41      16.5      THE READ COUNT IS PROVIDED TO CHECK THE TAPE
42      ;          PRODUCED BY THE PUNCH COUNT ROUTINE.
43      16.6      THE READ ALTERNATE ROUTINE IS PROVIDED TO
44      ;          CHECK THE READERS ABILITY TO READ CHARACTORS
45      ;          OF ALL ONES AND ALL ZEROS UNDER VARIOUS
46      ;          START STOP CONDITIONS.
47
48      17.      RESTRICTIONS/MISC
49      ;          IF THE HIGH SPEED READER OR HIGH SPEED
50      ;          PUNCH DOES NOT EXIST IN THE SYSTEM THE PROG-
51      ;          RAM WILL USE THE TELETYPE READER OR PUNCH;
52      ;          IF THEY ARE IN THE SYSTEM. PARTIAL TESTING
53      ;          MAY BE ACCOMPLISHED IF THE SYSTEM CONTAINS
54      ;          EITHER A PUNCH OR READER AND A CRT DISPLAY,
55      ;          BUT THIS IS NOT RECOMMENDED. THE DEVICES USED
56      ;          ARE A FUNCTION OF THE LOGIC EXISTING NOT
57      ;          WHETHER THE DEVICE ITSELF EXISTS.

```

A 0005 .MAIN

01  
02 000001 .LOC 1  
03 000001 100000 100000  
04 000002 002003 JMP 0.+1  
05 000003 000161 HERE  
06 000004 040112 STA 0,XSAV  
07 000005 000177 JMP START

08  
09 000040 .LOC 40  
10 00040 002051 JMP 0.+11 ;PUNCH DIAGNOSTIC  
11 00041 002052 JMP 0.+11 ;READER DIAGNOSTIC  
12 00042 002053 JMP 0.+11 ;PUNCH FROM SWITCHS  
13 00043 002054 JMP 0.+11 ;PUNCH COUNTER  
14 00044 002055 JMP 0.+11 ;READ COUNTER  
15 00045 002056 JMP 0.+11 ;ALTERNATE PUNCH  
16 00046 002057 JMP 0.+11 ;ALTERNATE READ  
17 00047 002060 JMP 0.+11 ;PUNCH FLOATING ZERO.  
18 00050 002061 JMP 0.+11 ;READ FLOATING ZERO.

19 00051 000753 A00  
20 00052 001366 R00  
21 00053 000404 SWPUN  
22 00054 000402 CTRPUN  
23 00055 000447 CTRRED  
24 00056 000400 ALTPUN  
25 00057 000472 ALTRED  
26 00060 000666 PFLT  
27 00061 000711 RFLT

28  
29 00062 000267 CIDIV: IDIV  
30 00063 000327 DEL: XDEL  
31 00064 000323 DEL1: XDEL1  
32 00065 000344 TIME: DELAY  
33 00066 002562 WHO: PTIME  
34 00067 077400 C0774: 077400  
35 00070 000000 CALIBR: 0 ;TIME FOR 100 MS  
36 00071 000000 CAL10: 0 ;TIME FOR 1 MS  
37 00072 000000 LEDR: 0  
38 00073 000304 WAIT: WAITX  
39 00074 002101 SETUP: ENTER  
40 00075 002122 LOOP: CYCLE  
41 00076 002173 ER: ERR  
42 006076 EHALT=JSR 0ER  
43 00077 000004 C4: 4  
44 00100 000006 C6: 6  
45 00101 000325 W100: XW100  
46 00102 000000 TIMEX: 0  
47 00103 000326 WAIT5: XWAIT5  
48 00104 000401 C401: 401  
49 00105 000144 W144: 144  
50 00106 000000 PUNDAT: 0  
51 00107 000000 PASS: 0  
52 00110 070477 CREADS: READS 2

53

^ 0006 .MAIN

```
01
02 00111 160077 CIOT: 160077
03 00112 000012 XSAV: 12
04 00113 060012 CDVCD: 060012
05 00114 000012 DVCD: 12
06 00115 060012 C60K: 060012
07 00116 000304 FIRST: WAITX
08 00117 002100 LAST: ENDIT
09 00120 000013 XX13: 13
10 00121 000012 CPTR.: 12
11 00122 000000 DEVRET: 0
12 00123 000562 IIINT: INIT
13 00124 012435 C5405: 5405.
14 00125 000066 C54: 54.
15 00126 015530 C7K: 7000.
16 00127 040011 C1639: 16393.
17 00130 000243 C16: 163.
18 00131 000624 IPUT: PUT
19 00132 000017 K17: 17
20 00133 000645 IGET: GET
21 00134 000517 IRDER: RDERR
22 00135 000666 IPFLT: PFLT
23 00136 000711 IRFLT: RFLT
24 00137 000177 C77X: 177
25 00140 000000 RZCTR: 0
26 00141 001000 C1000: 1000
27 00142 000001 LENGTH: 1
28 00143 123456 TRAN: 123456
29 00144 000000 PUNRET: 0
30 00145 000000 RDAT: 0
31 00146 000000 GOOD: 0
32 00147 000000 BAD: 0
33 00150 000377 X377: 377
34 00151 000000 RER: 0
35 00152 002415 XCRLF: CRLF
36 00153 002255 XMESS: MESS
37 00154 002303 IZOCT: ZOCT
38 00155 001400 C1400: 1400
39 00156 000000 HSREAD: 0
40 00157 000000 HSPUN: 0
41 00160 000012 C12: 12
42
43 000013 PTP.=13
44 000012 PTR.=12
45
46 00161 030045 HERE: LDA 2,45
47 00162 025000 LDA 1,0,2
48 00163 125005 MOV 1,1,SNR
49 00164 002166 JMP 0.+2
50 00165 125005 MOV 1,1,SNR
51 00166 000753 APO
52 00167 025001 LDA 1,1,2
53 00170 020160 LDA 0,C12
54 00171 106415 SUB# 0,1,SNR
55 00172 002166 JMP 0.-4
56 00173 044112 STA 1,XSAV
57 00174 000177 JMP START
```



A 0007 .MAIN

```
01
02 00175 000000 XORDEV: 0
03 00176 000040 K40: 40
04
05 00177 030112 START: LDA 2,XSAV
06 00200 151400 INC 2,2
07 00201 024115 LDA 1,C60K
08 00202 125400 INC 1,1
09 00203 044113 STA 1,CDVCD
10 00204 050120 STA 2,XX13
11 00205 050114 STA 2,DVCD
12 00206 004231 JSR DEVCD
13 00207 024115 LDA 1,C60K
14 00210 044113 STA 1,CDVCD
15 00211 030112 LDA 2,XSAV
16 00212 050121 STA 2,CPTR.
17 00213 050114 STA 2,DVCD
18 00214 004231 JSR DEVCD
19 00215 024322 LDA 1,M100
20 00216 020115 LDA 0,C60K
21 00217 123400 AND 1,0
22 00220 024114 LDA 1,DVCD
23 00221 123000 ADD 1,0
24 00222 040115 STA 0,C60K
25 00223 030045 LDA 2,45
26 00224 025000 LDA 1,0,2
27 00225 125005 MOV 1,1,SNR
28 00226 063077 HALT
29 00227 002230 JMP 0.+1
30 00230 000753 ARE
31
32 00231 054122 DEVCD: STA 3,DEVRET
33 00232 030116 LDA 2,FIRST
34 00233 021000 LDA 0,0,2
35 00234 024111 LDA 1,CIOT
36 00235 123400 AND 1,0
37 00236 024113 LDA 1,CDVCD
38 00237 106415 SUB# 0,1,SNR
39 00240 000246 JMP DEVCD2
40
41 00241 151400 DEVC1: INC 2,2
42 00242 020117 LDA 0,LAST
43 00243 112414 SUB# 0,2,SZR
44 00244 000233 JMP DEVCD+2
45 00245 002122 JMP 0DEVRET
46 00246 021000 DEVC2: LDA 0,0,2
47 00247 024322 LDA 1,M100
48 00250 123400 AND 1,0
49 00251 024114 LDA 1,DVCD
50 00252 123000 ADD 1,0
51 00253 041000 STA 0,0,2
52 00254 000241 JMP DEVC1
53
```

```

^ 0008 .MAIN
01 00255 102460 MULT:   SURC 0,0           ;MULTIPLY C(1)*C(2)
02 00256 054303      STA 3,MSAV          ;RESULT TO C(0),C(1)
03 00257 034302      LDA 3,MDCTR
04 00260 125203 MLOOP:  MOVR 1,1,SNC
05 00261 101201      MOVR 0,0,SKP
06 00262 143220      ADDZR 2,0
07 00263 175404      INC 3,3,SZR
08 00264 000260      JMP MLOOP
09 00265 125260      MOVCR 1,1
10 00266 002303      JMP @MSAV
11 00267 102400 IDIV:   SUB 0,0           ;DIVIDE C(0),C(1)/C(2)
12 00270 054303      STA 3,MSAV          ;C(0)=REMAINDER
13 00271 034302      LDA 3,MDCTR        ;C(1)=QUOIENT
14 00272 125120      MOVZL 1,1
15 00273 101100 DLOOP:  MOVL 0,0
16 00274 142412      SUB# 2,0,SZC
17 00275 142400      SUB 2,0
18 00276 125100      MOVL 1,1
19 00277 175404      INC 3,3,SZR
20 00300 000273      JMP DLOOP
21 00301 002303      JMP @MSAV
22 00302 177760 MDCTR:  =20
23 00303 000000 MSAV:   0
24
25 00304 024322 WAITX:  LDA 1,M100          ;WAIT ABOUT 6 SECONDS
26 00305 020070      LDA 0,CALIBR       ;FOR UNTILL BUSY FLAG
27 00306 100420      NEGZ 0,0          ;BECOMES ZERO.
28 00307 063413      SKPBN PTP         ;IF TIME OUT SET
29 00310 000316      JMP WAITY         ;ITERATION COUNTER TO
30 00311 101403      INC 0,0,SNC       ;+1,IF NO TIME OUT
31 00312 000307      JMP .-3           ;SET COUNT TO 100
32 00313 125404      INC 1,1,SZR       ;DECIMAL
33 00314 000305      JMP WAITX+1
34 00315 102521      SUBZL 0,0,SKP
35 00316 020105 WAITY:  LDA 0,W144
36 00317 042321      STA 0,0,+2
37 00320 001400      JMP 0,3
38 00321 002111      ITR
39 00322 177700 M100:  =100
40
41 00323 030071 XDEL1:  LDA 2,CAL10       ;C(1) IS DELAY IN MS
42 00324 000330      JMP XDEL+1
43 00325 126521 XW100:  SUBZL 1,1,SKP   ;DELAY IS 100MS
44 00326 024343 XWAIT5:  LDA 1,CD50       ;DELAY IS 5 SEC
45 00327 030070 XDEL:   LDA 2,CALIBR       ;X(1) DELAY 100MS
46 00330 125113      MOVL# 1,1,SNC
47 00331 124400      NEG 1,1
48 00332 140420      NEGZ 2,0
49 00333 101000      MOV 0,0
50 00334 101405      INC 0,0,SNR
51 00335 000340      JMP .+3
52 00336 063400      SKPBN 0
53 00337 000333      JMP .-4
54 00340 125404      INC 1,1,SZR
55 00341 000332      JMP XDEL+3
56 00342 001400      JMP 0,3
57 00343 000062 CD50:  50.

```

A 0009 .MAIN

01

```
02 00344 021400 DELAY: LDA 0,0,3
03 00345 040353 STA 0,.,+6
04 00346 102040 ADC 0,0
05 00347 040102 STA 0,TIMEX
06 00350 101000 MOV 0,0
07 00351 101402 INC 0,0,SZC
08 00352 001401 JMP 1,3
09 00353 000000 0
10 00354 000350 JMP .-4
11 00355 040102 STA 0,TIMEX
12 00356 001401 JMP 1,3
```

```
TIME THE INSTRUCTION
FOLLOWING THE CALL
```

13

```

A 0010 .MAIN
01
02          000400          .LOC 400
03
04 00400 020426 ALTPUN: LDA 0,CJPUN          ;PUNCH ALTERNATE ONES/ZEROS
05 00401 101001          MOV 0,0,SKP
06 00402 020104 CTRPUN: LDA 0,C401          ;PUNCH A COUNTER
07 00403 101001          MOV 0,0,SKP
08 00404 020110 SWPNUN: LDA 0,CREADS        ;PUNCH SWITCHES
09 00405 040410          STA 0,SWPN1
10 00406 152000          ADC 2,2
11 00407 050106          STA 2,PUNDAT
12 00410 004552          JSR INIT          ;INITIALIZE
13 00411 004416          JSR PUNDEL        ;PUNCH DELAY
14 00412 030106          LDA 2,PUNDAT
15 00413 151400          INC 2,2
16 00414 050106          STA 2,PUNDAT
17 00415 000000 SWPN1: 0
18 00416 0006131        JSP @INPUT          ;PUNCH THE CHARACTER
19 00417 014142        DSZ LENGTH
20 00420 000772        JMP SWPN1-3
21 00421 000770        JMP SWPN1-4
22 00422 151223 ALTER: MOVZP 2,2,SNC        ;DATA GENERATOR FOR
23 00423 152401          SUB 2,2,SKP        ;ALTERNATE
24 00424 152000          ADC 2,2
25 00425 000771        JMP SWPN1+1
26 00426 000405 CJPUN: JMP .+5
27
28
29 00427 054144 PUNDEL: STA 3,PUNRET        ;PUNCH DELAY LOGIC
30 00430 074477        READS 3
31 00431 175113        MOVL# 3,3,SNC        ;IF SWITCH 0(1),NO DELAY.
32 00432 000404        JMP .+4
33 00433 176520        SUBZL 3,3
34 00434 054142        STA 3,LENGTH        ;SET LENGTH TO 1 CHAR
35 00435 002144        JMP @PUNRET
36

```

^ 0011 .MAIN

```
01
02 00436 004476 JSR RDWT
03 00437 020143 LDA 0,TRAN
04 00440 101113 MOVL# 0,0,SNR
05 00441 002144 JMP 0PUNRET )NO FURTHER DELAY
06 00442 024137 LDA 1,C77X
07 00443 107405 AND 0,1,SNR
08 00444 125400 INC 1,1
09 00445 006063 JSR 0DEL )DELAY IN 100MS STEPS
10 00446 002144 JMP 0PUNRET
11
12
13 00447 004513 CTRRED: JSR INIT
14 00450 004575 JSR GET )READ A COUNTER
15 00451 040145 CTRR1: STA 0,RDAT )SYNC
16 00452 004573 JSR GET
17 00453 101005 MOV 0,0,SNR
18 00454 000775 JMP CTRR1
19 00455 024150 LDA 1,X377
20 00456 030145 LDA 2,RDAT
21 00457 151400 INC 2,2
22 00460 050145 STA 2,RDAT
23 00461 147400 AND 2,1
24 00462 106414 SUB# 0,1,SZR )CHECK THE COUNT READ
25 00463 000405 JMP CTRR2 )ERROR
26 00464 014142 DSZ LENGTH
27 00465 000765 JMP CTRR1+1
28 00466 004446 JSR RDWT )DELAY
29 00467 000763 JMP CTRR1+1
30
31 00470 004427 CTRR2: JSR RDERR )READER ERROR
32 00471 000757 JMP CTRR1-1 )RESYNC THE READER
33
34 00472 004470 ALTRED: JSR INIT )READ ALTERNATE ONES/ZEROS
35 00473 101001 MOV 0,0,SKP
36 00474 004423 JSR RDERR
37 00475 004550 JSR GET )GET A CHARACTER
38 00476 126000 ADC 1,1
39 00477 107000 ADD 0,1
40 00500 107404 AND 0,1,SZR
41 00501 126000 ADC 1,1
42 00502 044145 STA 1,RDAT )SYNC THE READER
43
44 00503 004431 ALTR1: JSR RDWT )DELAY LOGIC
45 00504 004541 JSR GET )GET CHARACTER
46 00505 024150 LDA 1,X377
47 00506 030145 LDA 2,RDAT
48 00507 150000 COM 2,2
49 00510 050145 STA 2,RDAT
50 00511 147400 AND 2,1
51 00512 106414 SUB# 0,1,SZR )CHECK DATA
52 00513 000761 JMP ALTRED+2 )ERROR DETECTED
53 00514 014142 DSZ LENGTH
54 00515 000767 JMP ALTR1+1
5 00516 000765 JMP ALTR1
J6
```

A 0012 .MAIN

```
01
02 00517 040147 RDERR: STA 0,BAD          )ERROR PRINTER
03 00520 044146          STA 1,GOOD
04 00521 054151          STA 3,RER
05 00522 006152          JSR @XCRLF        )PRINT CARRIAGE
06 00523 006153          JSR @XMESS
07 00524 001355          GOODEQ
08 00525 024146          LDA 1,GOOD
09 00526 006154          JSR @IZOCT        )GOOD DATA PRINTER
10 00527 006153          JSR @XMESS
11 00530 001360          BADEQ
12 00531 024147          LDA 1,BAD
13 00532 006154          JSR @IZOCT
14 00533 002151          JMP @RER
15
16 00534 054151 RDWT:  STA 3,RER          )RANDOM NUMBER DELAY
17 00535 024143          LDA 1,TRAN
18 00536 020067          LDA 0,C0774
19 00537 135120          MOVZL 1,3
20 00540 175120          MOVZL 3,3
21 00541 137000          ADD 1,3
22 00542 024776          LDA 1,.-2
23 00543 137000          ADD 1,3
24 00544 054143          STA 3,TRAN
25 00545 163400          AND 3,0
26 00546 024155          LDA 1,C1400
27 00547 106432          SUBZ# 0,1,SZC
28 00550 137000          ADD 1,3
29 00551 030137          LDA 2,C77X      )LOW ORDER BITS
30 00552 173405          AND 3,2,SNR
31 00553 151400          INC 2,2
32 00554 050142          STA 2,LENGTH   )SET BLOCK LENGTH
33 00555 024067          LDA 1,C0774
34 00556 167705          ANDS 3,1,SNR
35 00557 000756          JMP RDWT+1
36 00560 006064          JSR @DEL1      )TIME DELAY
37 00561 002151          JMP @RER        )EXIT
38
39
```

A 0013 .MAIN

```

01
02 00562 062677 INIT:  TORST
03 00563 060112      NIOS PTR.           ;INITIALIZE FOR HIGH
04 00564 063412      SKPBN PTR.         ;OR LOW SPEED READER
05 00565 102401      SUB 0,0,SKP        ;PUNCH.
06 00566 102000      ADC 0,0
07 00567 040156      STA 0,HSREAD
08 00570 054432      STA 3,INTEM
09 00571 024070      LDA 1,CALIBR      ;100 MS RPT COUNT
10 00572 125005      MOV 1,1,SNR      ;SKP IF ALREADY DONE
11 00573 006066      JSR @WHO
12 00574 125004      MOV 1,1,SZR
13 00575 000414      JMP OUT
14 00576 006152      JSR @XCRLF
15 00577 006153      JSR @XMESS
16 00600 002547      CANNOT           ;CANNOT IDENTIFY CPU
17 00601 030045      LDA 2,45
18 00602 021000      LDA 0,0,2
19 00603 101004      MOV 0,0,SZR
20 00604 000403      JMP .+3
21 00605 063077      HALT
22 00606 000777      JMP .-1
23 00607 035004      LDA 3,4,2
24 00610 001400      JMP 0,3
25 00611 044070 OUT:   STA 1,CALIBR
26 00612 030411      LDA 2,CD100
27 00613 006062      JSR @CIDIV
28 00614 044071      STA 1,CAL10
29
30 00615 020141      LDA 0,C1000
31 00616 040140      STA 0,RZCTR
32 00617 102620      SUBZR 0,0
33 00620 040157      STA 0,HSPUN
34 00621 002401      JMP @INTEM
35 00622 000000 INTEM:  0
36 00623 000144 CD100: 100.
37
38

```

A 0014 .MAIN

```
01
02 00624 024157 PUT:   LDA 1,HSPUN           )PUNCH A CHARACTER
03 00625 124524       NEGZL 1,1,SZR
04 00626 000405       JMP .+5
05 00627 065113       DOAS 1,PTP.
06 00630 063513       SKPBZ PTP.
07 00631 126000       ADC 1,1
08 00632 044157       STA 1,HSPUN           )SEE IF PUNCH IN SYSTEM.
09 00633 125225       MOVZR 1,1,SNR         )ON HS PUNCH IF ITS IN
10 00634 000405       JMP PUT1             )THE SYSTEM
11 00635 063513       SKPBZ PTP.
12 00636 000777       JMP .-1
13 00637 071113       DOAS 2,PTP.
14 00640 001400       JMP 0,3
15 00641 063511 PUT1:  SKPBZ TTD
16 00642 000777       JMP .-1
17 00643 071111       DOAS 2,TTD
18 00644 001400       JMP 0,3
19
20 00645 020156 GET:   LDA 0,HSREAD         )GET A CHARACTER
21 00646 101005       MOV 0,0,SNR          )FROM HS READER IF ITS
22 00647 000405       JMP GET1             )IN THE SYSTEM
23 00650 063512       SKPBZ PTR.
24 00651 000777       JMP .-1
25 00652 060512       DIAS 0,PTR.
26 00653 000404       JMP GET2
27 00654 063510 GET1:  SKPBZ TTI
28 00655 000777       JMP .-1
29 00656 060510       DIAS 0,TTI
30
31 00657 024141 GET2:  LDA 1,C1000         )TEST THAT ALL CHARACTORS
32 00660 101004       MOV 0,0,SZR          )ARE NOT 0
33 00661 044140       STA 1,RZCTR
34 00662 014140       DSZ RZCTR
35 00663 001400       JMP 0,3
36 00664 063077       HALT
37 00665 001400       JMP 0,3           )TO MUCH LEADER?
```



```

A 0015 .MAIN
01 00666 006123 PFLT: JSR @IIINT ;PUNCH A FLOATING
02 00667 020150 LDA 0,X377 ;ZERO PATTERN.
03 00670 040462 STA 0,FLTCT
04 00671 152400 SUB 2,2
05 00672 006131 JSR @IPUT ;PUNCH LEADER.
06 00673 014457 DSZ FLTCT
07 00674 000775 JMP .-3
08
09 00675 010455 PFLT1: ISZ FLTCT ;FLOATING COUNTER
10 00676 101000 MOV 0,0
11 00677 030453 LDA 2,FLTCT
12 00700 004403 JSR FLOT
13 00701 006131 JSR @IPUT ;PUNCH
14 00702 000773 JMP PFLT1
15
16 00703 020132 FLOT: LDA 0,K17 ;TRANSLATE COUNT TO
17 00704 113400 AND 0,2 ;FLOATING NUMBER.
18 00705 020424 LDA 0,CTABZ
19 00706 113000 ADD 0,2
20 00707 031000 LDA 2,0,2
21 00710 001400 JMP 0,3
22
23 00711 006123 RFLT: JSR @IIINT ;READ THE FLOATING
24 00712 006133 JSR @IGET ;ZERO PATTERN.
25 00713 101005 MOV 0,0,SNR ;TAPE MUST START IN
26 00714 000776 JMP .-2 ;LEADER.
27 00715 152520 SUBZL 2,2
28 00716 050434 STA 2,FLTCT
29
30 00717 010433 RFLT1: ISZ FLTCT
31 00720 101000 MOV 0,0
32 00721 030431 LDA 2,FLTCT
33 00722 004761 JSR FLOT ;GET FLOATING NUMBER.
34 00723 006133 JSR @IGET ;GET CHARACTER.
35 00724 145000 MOV 2,1
36 00725 106415 SUB# 0,1,SNR ;CHECK IF O.K.
37 00726 000771 JMP RFLT1
38 00727 006134 JSR @IRDR ;ERROR
39 00730 000767 JMP RFLT1
40 00731 000732 CTABZ: .+1
41 00732 000177 TABZ: 177
42 00733 000277 277
43 00734 000337 337
44 00735 000357 357
45 00736 000367 367
46 00737 000373 373
47 00740 000375 375
48 00741 000376 376
49 00742 000376 376
50 00743 000375 375
51 00744 000373 373
52 00745 000367 367
53 00746 000357 357
54 00747 000337 337
5 00750 000277 277
6 00751 000177 177
57 00752 000000 FLTCT: 0

```

A 0016 .MAIN

```
01
02 00753 004607 A00: JSR INIT
03 00754 006074 JSR @SETUP )THE PUNCH BUSY FLAG
04 00755 063513 SKPBZ PTP. )SHOULD BE ZERO. CHECK
05 00756 006076 EHALT )SELB LINE(A82).
06 00757 006075 JSR @LOOP
07
08 00760 006074 A02: JSR @SETUP )THE PUNCH DONE FLAG
09 00761 063713 SKPDZ PTP. )SHOULD BE ZERO. CHECK
10 00762 006076 EHALT )SELB LINE (A80).
11 00763 006075 JSR @LOOP
12
13 00764 020176 LDA 0,K40
14 00765 040175 STA 0,XORDEV
15 00766 006074 A04: JSR @SETUP )CHECK DEVICE SELECTION
16 00767 060113 NIOS PTP. )SHOULD NOT AFFECT PTP.
17 00770 006065 JSR @TIME
18 00771 063513 SKPBZ PTP.
19 00772 060113 NIOS PTP.
20 00773 020417 LDA 0,CNIOC )NIOC PTP.
21 00774 024175 LDA 1,XORDEV
22 00775 131000 MOV 1,2
23 00776 113520 ANDZL 0,2
24 00777 107000 ADD 0,1
25 01000 146400 SUB 2,1
26 01001 044401 STA 1,+.1
27 01002 000000 0
28 01003 063413 SKPBN PTP.
29 01004 006076 EHALT
30 01005 006075 JSR @LOOP
31 01006 020175 LDA 0,XORDEV
32 01007 101224 MOVZR 0,0,SZR
33 01010 000755 JMP A04-1
34 01011 000402 JMP .+2
35 01012 060213 CNIOC: NIOC PTP.
36
37 01013 102400 A17: SUB 0,0
38 01014 061013 DOA 0,PTP.
```

A 0017 .MAIN

```
01
02 01015 006074 A18: JSR @SETUP           )WITH THE DONE FLAG
03 01016 102520      SUBZL 0,0           )ZERO, CHECK THAT
04 01017 065477      INTA 1                          )INTA DOES NOT READ
05 01020 107414      AND# 0,1,SZR                     )BACK BIT 15, CHECK
06 01021 006076      EHALLT                          ) (B66) AT INT ACK
07 01022 006075      JSR @LOOP                       )TIME. E71 4-5-6,E57-13
08
09 01023 006074 A20: JSR @SETUP           )WITH THE DONE FLAG
10 01024 065477      INTA 1                          )ZERO, CHECK THAT
11 01025 125004      MOV 1,1,SZR                     )INTA DOES NOT READ
12 01026 006076      EHALLT                          )BACK ANY BITS.
13 01027 006075      JSR @LOOP
14
15 01030 006074 A21: JSR @SETUP           )A TEST TO INSURE THAT
16 01031 060013      NIO PTP.                       )PUN SELECT WITHOUT A
17 01032 063513      SKPBZ PTP.                      )START PULSE DOES NOT
18 01033 006076      EHALLT                          )SET BUSY.
19 01034 006075      JSR @LOOP
20
21 01035 006074 A24: JSR @SETUP           )SEND A START PULSE
22 01036 060113      NIOS PTP.                       )AND SEE IF BUSY SETS.
23 01037 063413      SKPBN PTP.                      )CHECK THE NOT
24 01040 006076      EHALLT                          )PUN START LEVEL TO
25 01041 006073      JSR @WAIT                       )THE SET SIDE OF BUSY.
26 01042 006075      JSR @LOOP                       )ALSO SELB(A02) LEVEL.
27
28 01043 006074 A26: JSR @SETUP           )START THE PUNCH
29 01044 060113      NIOS PTP.                       )THEN DO A NO
30 01045 060013      NIO PTP.                       )OPERATION, IF BUSY
31 01046 063413      SKPBN PTP.                      )IS ZERO,PERHAPS THE
32 01047 006076      EHALLT                          )CLEAR LINE IS OPEN.
33 01050 006073      JSR @WAIT                       )CHECK E59 8-9-10
34 01051 006075      JSR @LOOP
35
36 01052 006074 A28: JSR @SETUP           )START THE PUNCH
37 01053 060113      NIOS PTP.                       )THEN PRODUCE A CLEAR
38 01054 060200      NIOC 0                          )PULSE TO A DEVICE
39 01055 063413      SKPHN PTP.                      )OTHER THAN PTP. CHECK
40 01056 006076      EHALLT                          )AND GATE OF (LLEAR,
41 01057 006073      JSR @WAIT                       )PUN SELECT).
42 01060 006075      JSR @LOOP
43
44 01061 006074 A30: JSR @SETUP           )SET THE BUSY FLAG
45 01062 060113      NIOS PTP.                       )THEN TRY TO CLEAR IT.
46 01063 060213      NIOC PTP.                      )CHECK E58 3-4
47 01064 063513      SKPBZ PTP.                      )E59 4-6,E59 8-9-10 AND
48 01065 006076      EHALLT                          )THE CLEAR SIDE OF THE
49 01066 060113      NIOS PTP.                       )BUSY FLOP.
50 01067 006073      JSR @WAIT
51 01070 006075      JSR @LOOP
```

A 0018 .MAIN

01					
02	01071	006074	A32:	JSR @SETUP	SET THE BUSY FLOP
03	01072	060113		NIOS PTP.	THEN TRY TO CLEAR IT
04	01073	062677		IORST	VIA I/O RESET. CHECK
05	01074	063513		SKPBZ PTP.	E59 5-6, E58 8-9,
06	01075	006076		EHALT	THE I/O RESET PATH
07	01076	060113		NIOS PTP.	TO CLEAR PUN BUSY.
08	01077	006073		JSR @WAIT	
09	01100	006075		JSR @LOOP	
10					
11	01101	006074	A34:	JSR @SETUP	A CHECK TO INSURE
12	01102	060113		NIOS PTP.	I/O RESET WILL CLEAR
13	01103	006073		JSR @WAIT	THE DONE FLAG.
14	01104	062677		IORST	CHECK E58 5-6,
15	01105	063713		SKPDZ PTP.	E60 5-6, TO THE
16	01106	006076		EHALT	CLEAR SIDE OF THE
17	01107	006075		JSR @LOOP	DONE FLAG.
18					
19	01110	006074	A36:	JSR @SETUP	CHECK THAT A START
20	01111	060113		NIOS PTP.	PULSE WILL CLEAR
21	01112	006073		JSR @WAIT	THE DONE FLAG.
22	01113	060113		NIOS PTP.	CHECK E60 1-2-6,
23	01114	063713		SKPDZ PTP.	TO THE CLEAR SIDE
24	01115	006076		EHALT	OF DONE.
25	01116	006073		JSR @WAIT	
26	01117	006075		JSR @LOOP	
27					
28	01120	006074	A38:	JSR @SETUP	A TEST TO INSURE
29	01121	060113		NIOS PTP.	THAT THE DONE FLOP
30	01122	006073		JSR @WAIT	IS RESET BY A
31	01123	060213		NIOC PTP.	CLEAR PULSE.
32	01124	063713		SKPDZ PTP.	CHECK OR GATE E60
33	01125	006076		EHALT	PINS 4-6 TO THE
34	01126	006075		JSR @LOOP	CLEAR SIDE OF DONE.
35					
36	01127	006074	A40:	JSR @SETUP	THE PUN COMPLEAT
37	01130	060113		NIOS PTP.	LEVEL FAILED TO
38	01131	006073		JSR @WAIT	SET DONE OR CLEAR
39	01132	063613		SKPDN PTP.	BUSY.
40	01133	063513		SKPBZ PTP.	CHECK 4.5 MS DELAY
41	01134	101011		MOV# 0,0,SKP	AND ITS INPUTS
42	01135	006076		EHALT	
43	01136	006075		JSR @LOOP	
44					
45	01137	006074	A42:	JSR @SETUP	THE PUN COMPLETE
46	01140	060113		NIOS PTP.	LEVEL FAILED TO
47	01141	006073		JSR @WAIT	CLEAR BUSY. CHECK
48	01142	063513		SKPBZ PTP.	THE CLOCK INPUT
49	01143	006076		EHALT	TO BUSY, THE FLOP
50	01144	006075		JSR @LOOP	MAY HAVE FAILED.
51					
52	01145	006074	A44:	JSR @SETUP	TRY TO SET DONE VIA
53	01146	060113		NIOS PTP.	PUN COMPLEAT. CHECK
54	01147	006073		JSR @WAIT	PUN DONE FLOP, CLOCK
55	01150	063613		SKPDN PTP.	DATA AND CLEAR INPUTS.
56	01151	006076		EHALT	ALSO CHECK SELD(A80),
57	01152	006075		JSR @LOOP	THE AND OF SELECT, DONE.

A 0019 .MAIN

```
01
02 01153 006074 A46: JSR @SETUP ;CHECK THE SET TO
03 01154 102620 SUBZR 0,0 ;PUN INT REQ FLOP,
04 01155 040001 STA 0,1 ;WITH DONE (1) AND
05 01156 060113 NIOS PTP. ;PUN INT DISABLE
06 01157 006073 JSR @WAIT ;HOPEFULLY(0). SET
07 01160 060177 NIOS CPU ;INTERRUPT ENABLE IN CPU
08 01161 101000 MOV 0,0 ;IF ITS CLEARED INTERRUPT
09 01162 063577 SKPBZ CPU ;OCCURED. CHECK INTR
10 01163 006076 EHALT ;(B29) ETC,ETC.
11 01164 006075 JSR @LOOP
12
13 01165 006074 A48: JSR @SETUP ;WILL PUN INT DISABLE
14 01166 060113 NIOS PTP. ;PREVENT PUN INT REQ
15 01167 020077 LDA 0,C4 ;FROM SETTING? NO.
16 01170 062077 MSKO 0 ;CHECK AND OF (DONE(1),
17 01171 006073 JSR @WAIT ;PUN INT DISABLE(0)) TO
18 01172 055477 INTA 1 ;DATA TERMINAL OF PUN
19 01173 125014 MOV# 1,1,SZR ;INT REQ. ALSO PUN
20 01174 006076 EHALT ;INT DISABLE FLOP,AND
21 01175 006075 JSR @LOOP ;ITS INPUTS.
22
23 01176 006074 A50: JSR @SETUP ;A UNKOWN INTERRUPT
24 01177 060177 NIOS CPU ;OCCURED. CHECK OC GATE
25 01200 101000 MOV 0,0 ;TO INTR (B29).
26 01201 063477 SKPBN CPU
27 01202 006076 EHALT
28 01203 006075 JSR @LOOP
29
30 01204 006074 A52: JSR @SETUP ;A CHECK TO INSURE
31 01205 060113 NIOS PTP. ;THAT I/O RESET
32 01206 006073 JSR @WAIT ;WILL CLEAR PUN
33 01207 060177 NIOS CPU
34 01210 062477 DIC 0,CPU ;RESET PULSE
35 01211 063477 SKPBN CPU
36 01212 006076 EHALT
37 01213 006075 JSR @LOOP
38
39 01214 006074 A54: JSR @SETUP ;A MASK OUT INSTRUCTION
40 01215 060277 NIOC CPU ;WITHOUT A BIT 13
41 01216 102000 ADC 0,0
42 01217 062077 MSKO 0
43 01220 102400 SUB 0,0 ;SHOULD NOT SET
44 01221 062077 MSKO 0 ;PUN INT DISABLE
45 01222 060113 NIOS PTP. ;FLOP. CHECK "D"
46 01223 006073 JSR @WAIT ;INPUT TO FLOP.
47 01224 060177 NIOS CPU
48 01225 101000 MOV 0,0
49 01226 063577 SKPBZ CPU
50 01227 006076 EHALT
51 01230 006075 JSR @LOOP
```

A 0020 .MAIN

```
01
02 01231 006074 A56: JSR @SETUP      ]CHECK TO INSURE
03 01232 020077     LDA 0,C4      ]THAT I/O RESET
04 01233 062077     MSKO 0         ]WILL CLEAR THE
05 01234 062677     IORST        ]PUN INT DISABLE
06 01235 060113     NIOS PTP.      ]FLOP.
07 01236 006073     JSR @WAIT
08 01237 060177     NIOS CPU       ]ENABLE INTERRUPTS
09 01240 101000     MOV 0,0
10 01241 063577     SKPBZ CPU
11 01242 006076     EHALT
12 01243 006075     JSR @LOOP
13
14 01244 006074 A58: JSR @SETUP      ]WITH PUN INT REQ(1)
15 01245 060113     NIOS PTP.      ]SEE IF INTA READS
16 01246 006073     JSR @WAIT      ]BACK ANY BITS.
17 01247 065477     INTA 1        ]CHECK AND OF
18 01250 125015     MOV# 1,1,SNR   ](INT ACK,PUN INT REQ(1))
19 01251 006076     EHALT        ]AND THE FOLLOWING
20 01252 006075     JSR @LOOP     ]INVERTER, ETC,ETC.
21
22 01253 006074 A60: JSR @SETUP      ]CHECK THE DATA 15
23 01254 060113     NIOS PTP.      ]LINE ON INTA.
24 01255 006073     JSR @WAIT      ]CHECK GATE E71 4-5-6
25 01256 102520     SUBZL 0,0
26 01257 065477     INTA 1
27 01260 107415     AND# 0,1,SNR
28 01261 006076     EHALT
29 01262 006075     JSR @LOOP
30
31 01263 006074 A62: JSR @SETUP      ]CHECK THE DATA 14
32 01264 060113     NIOS PTP.      ]LINE ON INTA.
33 01265 006073     JSR @WAIT      ]CHECK GATE E71 1-2-3.
34 01266 102520     SUBZL 0,0
35 01267 101120     MOVZL 0,0
36 01270 065477     INTA 1
37 01271 107415     AND# 0,1,SNR
38 01272 006076     EHALT
39 01273 006075     JSR @LOOP
40
41 01274 006074 A64: JSR @SETUP      ]CHECK FOR INTA
42 01275 060113     NIOS PTP.      ]CODE 13 (FOR PTP)
43 01276 006073     JSR @WAIT
44 01277 020120     LDA 0,XX13
45 01300 065477     INTA 1
46 01301 106414     SUB# 0,1,SZR
47 01302 006076     EHALT
48 01303 006075     JSR @LOOP
49
50 01304 006074 A66: JSR @SETUP      ]THE PUN DONE FLAG
51 01305 060113     NIOS PTP.      ]WAS SET VIA PUN
52 01306 060213     NIOC PTP.     ]COMPLEAT EVEN
53 01307 006101     JSR @W100    ]WITH BUSY ZERO.
54 01310 063713     SKPDZ PTP.
55 01311 006076     EHALT
56 01312 006075     JSR @LOOP
```

A 0021 .MAIN

```
01
02 01313 006074 A68: JSR @SETUP JCHECK THAT 6
03 01314 060113 NIOS PTP. JCHARACTORS ARE
04 01315 006073 JSR @WAIT JPUNCHED IN 100MS
05 01316 060113 NIOS PTP. JOF TIME.
06 01317 006065 JSR @TIME
07 01320 063513 SKPBZ PTP.
08 01321 024070 LDA 1,CALIBR
09 01322 030102 LDA 2,TIMEX
10 01323 006062 JSR @CIDIV
11 01324 020100 LDA 0,C6
12 01325 106433 SUBZ# 0,1,SNC
13 01326 006076 EHALL
14 01327 006075 JSR @LOOP
15
16 01330 006103 A70: JSR @WAIT5 JWAIT 5 SECONDS
17 01331 060113 NIOS PTP. JFOR THE PUNCH TO
18 01332 006073 JSR @WAIT JSTOP.
19 01333 060113 NIOS PTP.
20 01334 006065 JSR @TIME JCHECK FOR 6 CHARACTORS
21 01335 063513 SKPBZ PTP. JIN 100 MS OF TIME.
22 01336 024070 LDA 1,CALIBR
23 01337 030102 LDA 2,TIMEX
24 01340 006062 JSR @CIDIV JCHECK UP TO SPEED DELAY
25 01341 020100 LDA 0,C6
26 01342 106433 SUBZ# 0,1,SNC
27 01343 006076 EHALL
28
29
30 01344 006152 JSR @XCRLF
31 01345 006153 JSR @XMESS
32 01346 001363 PASSE JPASS MSG
33 01347 030045 LDA 2,45
34 01350 025000 LDA 1,0,2
35 01351 125005 MOV 1,1,SNR
36 01352 002402 JMP @,+2
37 01353 000413 JMP R00
38 01354 000753 A00
39
40 GOODEQ: .TXT !GOOD=!
01355 047507
01356 042117
01357 000075
41 BADEQ: .TXT !BAD=!
01360 041040
01361 042101
01362 000075
42 PASSE: .TXTE !PASS!
01363 040520
01364 051523
01365 000000
```

A 0022 .MAIN

```
01
02 01366 006123 R00: JSR @IINT
03 01367 006074 JSR @SETUP ;PAPER TAPE READER
04 01370 063512 SKPBZ PTR. ;BUSY FLAG SHOULD BE 0.
05 01371 006076 EHALL ;CHECK SELB LINE(A82).
06 01372 006075 JSR @LOOP ;ETC,ETC.
07
08 01373 006074 R02: JSR @SETUP ;PTR DONE FLAG
09 01374 063712 SKPDZ PTR. ;SHOULD BE 0.
10 01375 006076 EHALL ;CHECK SELD LINE(A80)
11 01376 006075 JSR @LOOP ;ETC.
12
13 01377 006074 R04: JSR @SETUP ;A START PULSE TO A
14 01400 060100 NIOS 0 ;DEVICE NOT THE PTR
15 01401 063512 SKPBZ PTR. ;SET PTR BUSY! CHECK
16 01402 006076 EHALL ;AND GATE OF (START,
17 01403 006075 JSR @LOOP ;RD SELECT).
18
19 01404 006074 R06: JSR @SETUP ;SELECTING THE PTR
20 01405 060012 NIO PTR. ;WITHOUT A START
21 01406 063512 SKPBZ PTR. ;PULSE SET THE BUSY
22 01407 006076 EHALL ;FLOP. CHECK AND OF
23 01410 006075 JSR @LOOP ;(START, RD SELECT).
24
25 01411 006074 R08: JSR @SETUP ;TURN ON THE
26 01412 020522 LDA 0,C20 ;INTERRUPT SYSTEM.
27 01413 062077 MSKO 0 ;CHECK FOR NO INTERRUPT.
28 01414 102620 SUBZR 0,0 ;BUT!
29 01415 060177 NIOS CPU ;INTERRUPT OCCURED.
30 01416 040001 STA 0,1 ;CHECK INTR LINE(B29).
31 01417 063477 SKPBN CPU ;AND RD INT RQ FLOP.
32 01420 006076 EHALL
33 01421 006075 JSR @LOOP
34
35 01422 006074 R10: JSR @SETUP ;TURN ON THE INTERRUPT.
36 01423 102620 SUBZR 0,0 ;CHECK FOR NO INTERRUPT
37 01424 060177 NIOS CPU ;INTERRUPT OCCURED.
38 01425 040001 STA 0,1 ;CHECK E82-9 THE
39 01426 063477 SKPBN CPU ;DONE (1) INPUT TO AND
40 01427 006076 EHALL ;OF (RD INT DISABLE(0),
41 01430 006075 JSR @LOOP ;RD DONE(1)).
42
43 01431 006074 R11: JSR @SETUP ;BUSY FAILED TO
44 01432 060112 NIOS PTR. ;CLEAR. PAPER IN READER?
45 01433 006065 JSR @TIME ;IS LEVER DOWN?
46 01434 063512 SKPBZ PTR. ;SWITCH IN RUN POSITION?
47 01435 101002 MOV 0,0,SZC ;CHECK SELB(A82) AND
48 01436 006076 EHALL ;RD STROBE INPUT TO BUSY.
49 01437 006075 JSR @LOOP
50
51 01440 006074 R12: JSR @SETUP ;TRY TO SET THE
52 01441 060112 NIOS PTR. ;BUSY FLOP VIA
53 01442 063412 SKPBN PTR. ;START.CHECK AND GATE
54 01443 006076 EHALL ;OF(START,RD SELECT)
55 01444 006065 JSR @TIME ;AND RD BUSY.
56 01445 063512 SKPBZ PTR.
57 01446 006075 JSR @LOOP
```



```

A 0023 .MAIN
01 01447 006074 R14: JSR @SETUP      ISET READER BUSY FLAG
02 01450 060112      NIOS PTR.      ITHEN TRY TO CLEAR VIA
03 01451 062677      IORST          I I/O RESET. CHECK BUSY
04 01452 063512      SKPBZ PTR.     IFLOP THE CLEAR INPUT.
05 01453 006076      EHALT          IE46-13,ETC.
06 01454 006075      JSR @LOOP
07
08 01455 006074 R15: JSR @SETUP      ISET READER BUSY FLAG.
09 01456 060112      NIOS PTR.      ITHEN TRY TO RESET VIA
10 01457 060212      NIOC PTR.     I RD SELECT AND A
11 01460 063512      SKPBZ PTR.     ICLEAR PULSE.
12 01461 006076      EHALT
13 01462 006075      JSR @LOOP
14
15 01463 006074 R19: JSR @SETUP      ISET READER BUSY FLOP.
16 01464 060112      NIOS PTR.      ITHEN CHECK THAT A
17 01465 060200      NIOC 0        ICLEAR PULSE TO A DEVICE
18 01466 063412      SKPBN PTR.    IOTHER THAN THE READER
19 01467 006076      EHALT         IWILL NOT CLEAR READER
20 01470 006065      JSR @TIME
21 01471 063512      SKPBZ PTR.
22 01472 006075      JSR @LOOP     IBUSY.
23
24 01473 006074 R20: JSR @SETUP      ISET READER BUSY FLOP.
25 01474 060112      NIOS PTR.      ITHEN CHECK THAT
26 01475 060012      NIO PTR.     I RD SELECT WITHOUT A
27 01476 063412      SKPBN PTR.    ICLEAR PULSE WILL NOT
28 01477 006076      EHALT         ICLEAR READER BUSY.
29 01500 006065      JSR @TIME
30 01501 063512      SKPBZ PTR.
31 01502 006075      JSR @LOOP
32
33 01503 020176      LDA 0,K40
34 01504 040175      STA 0,XORDEV
35 01505 006074 R22: JSR @SETUP      ICHECK DEVICE SELECTION
36 01506 060112      NIOS PTR.
37 01507 006065      JSR @TIME
38 01510 063512      SKPBZ PTR.
39 01511 060112      NIOS PTR.
40 01512 020421      LDA 0,CCNIO
41 01513 024175      LDA 1,XORDEV
42 01514 131000      MOV 1,2
43 01515 113520      ANDZL 0,2
44 01516 107000      ADD 0,1
45 01517 146400      SUB 2,1
46 01520 044401      STA 1,+.1
47 01521 000000      0
48 01522 063412      SKPBN PTR.
49 01523 006076      EHALT
50 01524 006065      JSR @TIME
51 01525 063512      SKPBZ PTR.
52 01526 006075      JSR @LOOP
53 01527 020175      LDA 0,XORDEV
54 01530 101224      MOVZR 0,0,SZR
55 01531 000753      JMP R22-1
56 01532 000403      JMP .+3
57 01533 060212 CCNIO: NIOC PTR.
58 01534 000020 C20: 20

```

^ 0024 .MAIN

01  
02 01535 006074 R38: JSR @SETUP  
03 01536 060112 NIOS PTR.  
04 01537 006065 JSR @TIME  
05 01540 063512 SKPBZ PTR.  
06 01541 062677 IORST  
07 01542 063712 SKPDZ PTR.  
08 01543 006076 EHALT  
09 01544 006075 JSR @LOOP

I/O RESET FAILED  
I/O CLEAR THE  
IRD DONE FLAG.

10  
11 01545 006074 R38: JSR @SETUP  
12 01546 060112 NIOS PTR.  
13 01547 006065 JSR @TIME  
14 01550 063512 SKPBZ PTR.  
15 01551 060212 NIOC PTR.  
16 01552 063712 SKPDZ PTR.  
17 01553 006076 EHALT  
18 01554 006075 JSR @LOOP

IA CLEAR PULSE  
I/O THE PAPER TAPE  
I/READER FAILED TO  
I/CLEAR RD DONE.

19  
20 01555 006074 R40: JSR @SETUP  
21 01556 060112 NIOS PTR.  
22 01557 006065 JSR @TIME  
23 01560 063512 SKPBZ PTR.  
24 01561 060112 NIOS PTR.  
25 01562 063712 SKPDZ PTR.  
26 01563 006076 EHALT  
27 01564 006075 JSR @LOOP

IA START PULSE  
I/O THE PAPER TAPE  
I/READER FAILED TO  
I/CLEAR RD DONE.

01					
02	01565	006074	R42:	JSR @SETUP	)THE RD DONE FLOP
03	01566	060112		NIOS PTR.	)FAILED TO SET.
04	01567	006065		JSR @TIME	)CHECK THE CLOCK,
05	01570	063512		SKPBZ PTR.	)DATA, AND RESET
06	01571	063612		SKPDN PTR.	)INPUTS. ALSO CHECK
07	01572	006076		EHALT	)THE SELD LINE(A80).
08	01573	006075		JSR @LOOP	
09					
10	01574	006074	R44:	JSR @SETUP	)SETTING THE READER
11	01575	102620		SUBZR 0,0	)DONE FLAG SHOULD
12	01576	062077		MSKO 0	)CAUSE A INTERRUPT.
13	01577	062677		IORST	)CHECK THE INTR LINE
14	01600	060177		NIOS CPU	) (B29), RD INT REQ FLOP,
15	01601	040001		STA 0,1	)AND ITS INPUT GATES.
16	01602	060112		NIOS PTR.	
17	01603	006065		JSR @TIME	
18	01604	063512		SKPBZ PTR.	
19	01605	063577		SKPBZ CPU	
20	01606	006076		EHALT	
21	01607	006075		JSR @LOOP	
22					
23	01610	006074	R46:	JSR @SETUP	)THE MSKO
24	01611	102000		ADC 0,0	
25	01612	062077		MSKO 0	
26	01613	102620		SUBZR 0,0	)INSTRUCTION WITH
27	01614	062077		MSKO 0	)BIT 11 A ZERO SHOULD
28	01615	060177		NIOS CPU	)NOT PREVENT INTERRUPTS.
29	01616	040001		STA 0,1	)CHECK THE DATA 11
30	01617	060112		NIOS PTR.	)INPUT TO THE
31	01620	006065		JSR @TIME	)RD INT DISABLE FLOP.
32	01621	063512		SKPBZ PTR.	
33	01622	063577		SKPBZ CPU	
34	01623	006076		EHALT	
35	01624	006075		JSR @LOOP	
36					
37	01625	006074	R48:	JSR @SETUP	)THE RD INT DISABLE
38	01626	020706		LDA 0,C20	)FLOP IS SET VIA
39	01627	062077		MSKO 0	)MSKO. I/O RESET
40	01630	062677		IORST	)SHOULD THEN CLEAR IT.
41	01631	060177		NIOS CPU	)THE DONE FLAG FAILED.
42	01632	060112		NIOS PTR.	)TO INTERRUPT, SUGGESTING
43	01633	006065		JSR @TIME	)I/O RESET DID NOT CLEAR
44	01634	063512		SKPBZ PTR.	)RD INT DISABLE.
45	01635	063577		SKPBZ CPU	
46	01636	006076		EHALT	
47	01637	006075		JSR @LOOP	
48					
49	01640	006074	R50:	JSR @SETUP	)USING MSKO WITH
50	01641	020673		LDA 0,C20	)BIT 11(1) SHOULD SET
51	01642	062077		MSKO 0	)RD INT DISABLE AND
52	01643	060177		NIOS CPU	)PREVENT THE DONE
53	01644	060112		NIOS PTR.	)FLAG FROM INTERRUPTING.
54	01645	006065		JSR @TIME	)A INTERRUPT OCCURED
55	01646	063512		SKPBZ PTR.	)HOWEVER.
56	01647	063477		SKPBN CPU	
57	01650	006076		EHALT	
58	01651	006075		JSR @LOOP	

A 0026 .MAIN

01					
02	01652	006074	R52:	JSR @SETUP	ANOTHER CHECK OF
03	01653	020661		LDA 0,C20	IRD INT DISABLE
04	01654	060177		NIOS CPU	THE CLOCK INPUT.
05	01655	060112		NIOS PTR.	
06	01656	006065		JSR @TIME	
07	01657	063512		SKPBZ PTR.	
08	01660	063577		SKPBZ CPU	
09	01661	006076		EHALT	
10	01662	006075		JSR @LOOP	
11					
12	01663	006074	R54:	JSR @SETUP	TEST I/O RESET
13	01664	060277		NIOS CPU	ABILITY TO CLEAR
14	01665	060112		NIOS PTR.	IRD INT REQ FLOP.
15	01666	006065		JSR @TIME	
16	01667	063512		SKPBZ PTR.	
17	01670	060177		NIOS CPU	
18	01671	062477		DIC 0,CPU	
19	01672	063477		SKPBN CPU	
20	01673	006076		EHALT	
21	01674	006075		JSR @LOOP	
22					
23	01675	006074	R56:	JSR @SETUP	AFTER A I/O RESET
24	01676	062677		IORST	A INTA SHOULD READ
25	01677	061477		INTA 0	BACK ALL ZEROS.
26	01700	101004		MOV 0,0,SZR	
27	01701	006076		EHALT	
28	01702	006075		JSR @LOOP	
29					
30	01703	006074	R58:	JSR @SETUP	INTA FAILED TO
31	01704	060112		NIOS PTR.	READ BACK A BIT 14
32	01705	006065		JSR @TIME	WHEN THE DONE FLAG
33	01706	063512		SKPBZ PTR.	WAS SET.
34	01707	061477		INTA 0	
35	01710	126520		SUBZL 1,1	
36	01711	125120		MOVZL 1,1	
37	01712	107415		AND# 0,1,SNR	
38	01713	006076		EHALT	
39	01714	006075		JSR @LOOP	
40					
41	01715	006074	R60:	JSR @SETUP	CHECK THE CODE
42	01716	060112		NIOS PTR.	READ BACK ON
43	01717	006065		JSR @TIME	INTA FROM THE
44	01720	063512		SKPBZ PTR.	READER.
45	01721	024121		LDA 1,CPTR.	
46	01722	061477		INTA 0	
47	01723	106404		SUB 0,1,SZR	
48	01724	006076		EHALT	
49	01725	006075		JSR @LOOP	

A 0027 ,MAIN

```
01
02 01726 006074 R62: JSR @SETUP      /CHECK THAT SOME,
03 01727 152620      SUBZR 2,2      /ANY, BITS ARE READ
04 01730 151225      MOVZR 2,2,SNR /BACK IN A SET OF
05 01731 006076      EHALLT        /15 CHARACTORS.
06 01732 060112      NIOS PTR.
07 01733 063512      SKPBZ PTR.
08 01734 000777      JMP .-1
09 01735 060412      DIA 0,PTR.
10 01736 101005      MOV 0,0,SNR
11 01737 000771      JMP R62+2
12 01740 006075      JSR @LOOP
13
14 01741 006074 R64: JSR @SETUP      /READ UNTILL A CHAR
15 01742 152620      SUBZR 2,2      /NOT ZERO IS OBTAINED.
16 01743 151225      MOVZR 2,2,SNR /IF DIA TO DEVICE 0
17 01744 000412      JMP R62A      /READS THE SAME CHAR
18 01745 060112      NIOS PTR.     /THERE IS A RD SELECT
19 01746 063512      SKPBZ PTR.    /PROBLEM IN THE READER.
20 01747 000777      JMP .-1
21 01750 060412      DIA 0,PTR.
22 01751 101005      MOV 0,0,SNR
23 01752 000773      JMP .-5
24 01753 064400      DIA 1,0
25 01754 106415      SUB# 0,1,SNR
26 01755 006076      EHALLT
27 01756 006075 R62A: JSR @LOOP
28
29 01757 006074 R66: JSR @SETUP      /CHECK THAT THE DATA
30 01760 176620      SUBZR 3,3      /BUFFER HOLDS BOTH ZEROS
31 01761 060112      NIOS PTR.     /AND ONES IN ALL BIT
32 01762 126000      ADC 1,1       /POSITIONS.
33 01763 152000      ADC 2,2
34 01764 063612      SKPDN PTR.
35 01765 000777      JMP .-1
36 01766 060512      DIAS 0,PTR.
37 01767 113400      AND 0,2       /LOOK FOR BITS STUCK(1)
38 01770 100000      COM 0,0
39 01771 107400      AND 0,1       /LOOK FOR BITS STUCK(0)
40 01772 175224      MOVZR 3,3,SZR
41 01773 000771      JMP R66+5
42
```

A 0028 .MAIN

```
01
02
03 01774 125242      MOVOR 1,1,SZC
04 01775 006076      EHALT          JCH1 STUCK TO 0
05 01776 125202      MOVR 1,1,SZC
06 01777 006076      EHALT          JCH2 STUCK TO 0
07 02000 125202      MOVR 1,1,SZC
08 02001 006076      EHALT          JCH3 STUCK TO 0
09 02002 125202      MOVR 1,1,SZC
10 02003 006076      EHALT          JCH4 STUCK TO 0
11 02004 125202      MOVR 1,1,SZC
12 02005 006076      EHALT          JCH5 STUCK TO 0
13 02006 125202      MOVR 1,1,SZC
14 02007 006076      EHALT          JCH6 STUCK TO 0
15 02010 125202      MOVR 1,1,SZC
16 02011 006076      EHALT          JCH7 STUCK TO 0
17 02012 125202      MOVR 1,1,SZC
18 02013 006076      EHALT          JCH8 STUCK TO 0
19
20 02014 151202      MOVR 2,2,SZC
21 02015 006076      EHALT          JCH1 STUCK TO 1
22 02016 151202      MOVR 2,2,SZC
23 02017 006076      EHALT          JCH2 STUCK TO 1
24 02020 151202      MOVR 2,2,SZC
25 02021 006076      EHALT          JCH3 STUCK TO 1
26 02022 151202      MOVR 2,2,SZC
27 02023 006076      EHALT          JCH4 STUCK TO 1
28 02024 151202      MOVR 2,2,SZC
29 02025 006076      EHALT          JCH5 STUCK TO 1
30 02026 151202      MOVR 2,2,SZC
31 02027 006076      EHALT          JCH6 STUCK TO 1
32 02030 151202      MOVR 2,2,SZC
33 02031 006076      EHALT          JCH7 STUCK TO 1
34 02032 151202      MOVR 2,2,SZC
35 02033 006076      EHALT          JCH8 STUCK TO 1
36 02034 006076      JSR @LOOP     ITERATE TEST.
37
```

A 0029 .MAIN

01

02 02035 006074 R68: JSR @SETUP  
03 02036 060112 NIDS PTR.  
04 02037 060212 NIDC PTR.  
05 02040 006065 JSR @TIME  
06 02041 063612 SKPDN PTR.  
07 02042 101003 MOV 0,0,SNC  
08 02043 006076 EHALL  
09 02044 020447 LDA 0,ESWIT  
10 02045 101004 MOV 0,0,SZR  
11 02046 000770 JMP R68+1  
12 02047 000414 JMP R69  
13 002056 .LOC 2056

14 02056 000000 EGGS: 0  
15 02057 000000 0  
16 02060 000000 0  
17 02061 000000 0  
18 02062 000000 0

19

20 02063 006152 R69: JSR @XCRLF  
21 02064 006153 JSR @XMESS  
22 02065 001363 PASSE  
23 02066 030045 LDA 2,45  
24 02067 025000 LDA 1,0,2  
25 02070 125005 MOV 1,1,SNR  
26 02071 002405 JMP 0,+5  
27 02072 015003 DSZ 3,2  
28 02073 002404 JMP 0,+4  
29 02074 035004 LDA 3,4,2  
30 02075 001400 JMP 0,3  
31 02076 001366 R00  
32 02077 000753 A00

33

!THE READER DONE  
!FLAG WAS SET VIA  
!RD STROBE(1) WHEN  
!THE BUSY FLAG WAS  
!ZERO. CHECK THE  
!DATA INPUT TO  
!RD DONE.  
!RESTART PROGRAM AFTER  
  
!FIXING THIS TROUBLE.  
  
!AUTO SWITCH  
!DEVICE CODE THIS RUN  
!NOT USED  
!# OF PASSES THIS RUN  
!RETURN ADDRESS

!PASS MSG

A 0030 .MAIN

```
01
02 02100 000000 ENDIT: 0
03
04 02101 054420 ENTER: STA 3,LOOPR      /LOOP ITERATE RETURN
05 02102 034407 LDA 3,ITR      /THIS ROUTINE INITIALIZES
06 02103 054407 STA 3,ITRCT   /EACH TEST
07 02104 176400 SUB 3,3
08 02105 054406 STA 3,ESWIT
09 02106 054406 STA 3,ERRCT
10 02107 062477 DIC 0,CPU      /I/O RESET
11 02110 002411 JMP @LOOPR
12
13 02111 000144 ITR: 144
14 02112 000000 ITRCT: 0
15 02113 000000 ESWIT: 0
16 02114 000000 ERRCT: 0
17 02115 000000 RETURN: 0
18 02116 000000 SAV2: 0
19 02117 000000 SAV1: 0
20 02120 000000 SAV0: 0
21 02121 000000 LOOPR: 0
22
23 02122 054773 CYCLE: STA 3,RETURN   /END OF TEST ITERATION
24 02123 054773 STA 2,SAV2   /ROUTINE
25 02124 044773 STA 1,SAV1   /SAVE THE ACS!
26 02125 040773 STA 0,SAV0
27 02126 014764 DSZ ITRCT
28 02127 000432 JMP CYCTS    /NOT 100 TIMES ITERATED
29
30 02130 034761 LDA 3,ITR      /RESET ITERATION CNTR
31 02131 054761 STA 3,ITRCT
32 02132 074477 READS 3
33 02133 030760 LDA 2,ESWIT   /IF SWITCH 2=(1)
34 02134 175120 MOVZL 3,3     /AND A ERROR HAS OCCURED
35 02135 175100 MOVL 3,3     /THE ERROR RATE WILL
36 02136 151005 MOV 2,2,SNR   /BE PRINTED
37 02137 000413 JMP NOEX
38 02140 175103 MOVL 3,3,SNC
39 02141 000415 JMP PCENT-1
40
41 02142 006506 JSR @ICRLF    /PRINT CARRIAGE
42 02143 024751 LDA 1,ERRCT
43 02144 006506 JSR @IPDEC    /PRINT VALUE
44 02145 020412 LDA 0,PCENT   /EXAMPLE: 89%
45 02146 006500 JSR @ICHAR
46 02147 063611 SKPDN TTO    /WAIT DONE FLAG
47 02150 000777 JMP .-1
48 02151 000405 JMP PCENT-1
49
50 02152 020746 NOEX: LDA 0,SAV0     /NORMAL EXIT,NO ERR
51 02153 024744 LDA 1,SAV1
52 02154 030742 LDA 2,SAV2
53 02155 002740 JMP @RETURN
54
```



```

^ 0031 .MAIN
01 02156 102401 SUB 0,0,SKP
02 02157 000245 PCENT: 245 )CHARACTOR
03 02160 040734 STA 0,ERRCT )RESET ERROR COUNT
04 02161 020737 CYCTS: LDA 0,SAV0 )RESTORE ACS
05 02162 024735 LDA 1,SAV1
06 02163 030733 LDA 2,SAV2
07 02164 034727 LDA 3,ESWIT
08 02165 175004 MOV 3,3,SZR
09 02166 074477 READS 3
10 02167 062477 DIC 0,CPU )I/O RESET
11 02170 175113 MOVL# 3,3,SNC )SWITCH 0
12 02171 002730 JMP @LOOPR ) (1)=LOOP ROUTINE
13 02172 002723 JMP @RETURN ) (0)=PROCEED TO NEXT TEST
14
15
16 02173 054722 ERR: STA 3,RETURN )ERROR SUBROUTINE
17 02174 050722 STA 2,SAV2
18 02175 044722 STA 1,SAV1
19 02176 040722 STA 0,SAV0
20
21 02177 034714 LDA 3,ESWIT
22 02200 175005 MOV 3,3,SNR
23 02201 000407 JMP ERR1
24 02202 030714 ERET: LDA 2,SAV2 )RESTORE ACS
25 02203 024714 LDA 1,SAV1
26 02204 020714 LDA 0,SAV0
27 02205 010707 ISZ ERRCT )COUNT
28 02206 062477 DIC 0,CPU )ERRORS,I/O RESET
29 02207 002706 JMP @RETURN )EXIT
30
31 02210 034705 ERR1: LDA 3,RETURN )ERROR, C(3)=PC
32 02211 004407 JSR AUTOER )OPERATOR,SET SWITCHS!
33 02212 054701 STA 3,ESWIT
34 02213 074477 READS 3
35 02214 175100 MOVL 3,3
36 02215 175113 MOVL# 3,3,SNC )LOOK AT SWITCH 1
37 02216 004410 JSR EPRINT )PRINT ERROR DATA
38 02217 000763 JMP ERET
39
40 02220 054413 AUTOER: STA 3,AA03
41 02221 024635 LDA 1,EGGS
42 02222 125004 MOV 1,1,SZR
43 02223 000405 JMP +5
44 02224 024673 LDA 1,SAV1
45 02225 034670 LDA 3,RETURN
46 02226 063077 HALT
47 02227 002404 JMP @,AA03
48 02230 004404 JSR EPRINT
49 02231 034631 LDA 3,EGGS+4
50 02232 001400 JMP 0,3
51 02233 000000 .AA03: 0

```

A 0032 .MAIN

```
01
02 02234 054657 EPRINT: STA 3,ESWIT      IERROR MESSAGE PRINTER
03 02235 006413 JSR @ICRLF          IPRINT CARRIAGE
04 02236 006407 JSR @IMESS           IAND HEADER
05 02237 002253 HEADER
06 02240 020655 LDA @,RETURN
07 02241 126000 ADC 1,1
08 02242 107000 ADD @,1
09 02243 006406 JSR @IPOCT          IPC OF ERROR
10 02244 002647 JMP @ESWIT         IRETURN TO CALL
11
12 02245 002255 IMESS: MESS
13 02246 002370 ICHAR: CHAR
14 02247 002427 ITYPE: TYPE
15 02250 002415 ICRLF: CRLF
16 02251 002304 IPOCT: POCT
17 02252 002310 IPDEC: PDEC
18
19                HEADER: .TXT !
20 02253 041520 PC      !
    02254 000011
```

A 0033 .MAIN

01 ;TELETYPE NON INTERRUPT PACKAGE  
02 ;AC1,AC2 SAVED  
03 ;"MESS" PRINTS ASCII MESSAGES AS SPECIFIED BY ASSEMBLER  
04 ;"CRLF" PRINTS A CARRIAGE RETURN  
05 ;"POCT" PRINTS C(1) IN OCTAL  
06 ;"ZOCT" PRINTS C(1) IN OCTAL, LEADING ZEROS SUPPRESSED  
07 ;"PDEC" PRINTS C(1) IN DECIMAL, LEADING ZEROS SUPPRESSED,  
08 ;THE ABOVE THREE ARE FOLLOWED BY THE TAB IN P.TAB  
09 ;"TINO" ACCEPTS OCTAL, AND  
10 ;"TIND" ACCEPTS DECIMAL SINGLE PRECISION SIGNED INTEGERS  
11 ;INTO AC1 FROM THE TTI. LEADING NULLS, TABS,  
12 ;AND SPACES ARE IGNORED. A 16 BIT UNSIGNED INTEGER IS  
13 ;FORMED, THEN NEGATED IF A MINUS SIGN IS TYPED.  
14 ;EXIT AT CALL+1 IF INPUT ERROR WITH AC0=BAD CHARACTER.  
15 ; (NOT A LEGAL DIGIT OR TERMINATING CHARACTER)  
16 ;EXIT AT CALL+2 UPON TERMINATING CHARACTER  
17 ; WITH AC0=0, 0, 40, 12, 55  
18 ; FOR NULL, TAB, SPACE, CARRIAGE RETURN, COMMA  
19 ;THE ABOVE WAIT FOR TTO DONE, THEN CLEAR TTO.  
20 ;"CHAR" PRINTS ASCII CHARACTER IN C(0)R; C(0)L MUST BE 0.  
21 ;EXITS CALL +2 IF C(0)R=0, CORRECTS THE PARITY,  
22 ;SIMULATES TAB ON ASR33.  
23 ;"TYPE" PRINTS C(0)R. MUST HAVE PROPER PARITY. EXITS AT  
24 ;CALL+1. REPLACE "TYPE" WITH INTERRUPT TYPE IF DESIRED.  
25

26 02255 054551 MESS: STA 3,MESSR ;PRINT A TEXT MESSAGE  
27 02256 044505 STA 1,P.AC1  
28 02257 050505 STA 2,P.AC2  
29 02260 010546 ISZ MESSR  
30 02261 031400 LDA 2,0,3 ;C(2) POINTS TO MESSAGE  
31 02262 024505 LDA 1,P.377 ;A 8 BIT MASK  
32 02263 021000 LDA 0,0,2 ;C(2)=DATA WORD  
33 02264 125112 MOVL# 1,1,SZC  
34 02265 123701 ANDS 1,0,SKP  
35 02266 123401 AND 1,0,SKP ;C(0)=DATA CHARACTER RIGHT  
36 02267 151400 INC 2,2 ;INC TO NEXT WORD  
37 02270 124000 COM 1,1 ;FLIP MASK  
38 02271 004477 JSR CHAR ;PRINT  
39 02272 000771 JMP MESS+6 ;ANOTHER  
40 02273 000402 JMP .+2  
41 02274 004474 P.LST: JSR CHAR  
42 02275 024466 PEXIT: LDA 1,P.AC1  
43 02276 030466 LDA 2,P.AC2  
44 02277 063511 SKPBZ TTO  
45 02300 000777 JMP .-1  
46 02301 060211 NIOC TTO  
47 02302 002524 JMP 0MESSR ;LAST  
48

```

A 0034 .MAIN
01 02303 102401 ZOCT: SUB 0,0,SKP
02 02304 020462 POCT: LDA 0,P.C60
03 02305 050457 STA 2,P.AC2
04 02306 030435 LDA 2,OCTAB ;PRINT C(1) IN OCTAL
05 02307 000404 JMP .+4
06 02310 050454 PDEC: STA 2,P.AC2
07 02311 030442 LDA 2,DECTB ;PRINT C(1) IN DECIMAL
08 02312 102400 SUB 0,0
09 02313 054513 STA 3,MESSR ;BOTH ENTRYS PRINT NUMBER
10 02314 044447 STA 1,P.AC1
11 02315 040445 STA 0,ZSUPP ;THEN TAB TO NEXT POSITION
12 02316 050401 STA 2,+.1
13 02317 000000 DECOCT: 0 ;A"LDA 2, TABLE" INSTRUCTION
14 02320 010777 ISZ .-1
15 02321 020444 LDA 0,P.TAB
16 02322 151005 MOV 2,2,SNR ;IF TABLE ENTRY=0
17 02323 000752 JMP PEXIT ;EXIT WITH NO TAB
18 02324 034436 LDA 3,ZSUPP ;ZEROS SUPPRESS STUF
19 02325 102400 SUB 0,0
20 02326 146452 DECOT: SUBO# 2,1,SZC
21 02327 000405 JMP DECP
22 02330 146400 SUB 2,1 ;FORM THE DIGIT
23 02331 034435 LDA 3,P.C60
24 02332 101400 INC 0,0
25 02333 000773 JMP DECOT
26 02334 151235 DECP: MOVZR# 2,2,SNR
27 02335 034431 LDA 3,P.C60
28 02336 054424 STA 3,ZSUPP ;C(0)=DIGIT
29 02337 163000 ADD 3,0 ;MAKE ASCII
30 02340 175004 MOV 3,3,SZR
31 02341 004427 JSR CHAR ;PRINT
32 02342 000755 JMP DECOCT ;GET NEXT DIGIT
33
34 02343 030425 OCTAB: LDA 2,+.1+.-DECOCT
35 02344 100000 100000
36 02345 010000 10000
37 02346 001000 1000
38 02347 000100 100
39 02350 000010 10
40 02351 000001 1
41 02352 000000 0
42 02353 030435 DECTB: LDA 2,+.1+.-DECOCT
43 000012 .RDX 10
44 02354 023420 10000
45 02355 001750 1000
46 02356 000144 100
47 02357 000012 10
48 02360 000001 1
49 02361 000000 0
50 000010 .RDX 8
51 02362 000000 ZSUPP: 0
52 02363 000000 P.AC1: 0
53 02364 000000 P.AC2: 0
54 02365 000011 P.TAB: 11 ;CHARACTER PRINTED AFTER NUMBERS
55 02366 000060 P.C60: 60
56 02367 000377 P.377: 377

```

```

A 0035 .MAIN
01 02370 054434 CHAR: STA 3,CHRET IPRINT C(0) RIGHT
02 02371 101305 MOVS 0,0,SNR IRETURN +2 IF NULL
03 02372 001401 JMP 1,3
04 02373 115120 MOVZL 0,3 ICOMPUTE EVEN PARITY
05 02374 177004 ADD 3,3,SZR
06 02375 000777 JMP .-1
07 02376 103200 ADDR 0,0
08 02377 101300 MOVS 0,0
09 02400 034452 CHAR1: LDA 3,P.C11 IIS THIS A TAB
10 02401 116415 SUB# 0,3,SNR
11 02402 000403 JMP CHA,3 IYES
12 02403 004424 JSR TYPE INO PRINT IT
13 02404 002420 JMP @CHRET IEXIT
14 02405 020450 CHA,3: LDA 0,P.240 ISIMULATE A TAB
15 02406 004421 JSR TYPE IWITH 1 TO 7 SPACES
16 02407 020416 LDA 0,CHORZ
17 02410 034441 LDA 3,P.C7
18 02411 163404 AND 3,0,SZR
19 02412 000773 JMP CHA,3
20 02413 040412 STA 0,CHORZ
21 02414 002410 JMP @CHRET
22
23 02415 054411 CRLF: STA 3,MESSR ISAVE RETURN
24 02416 044745 STA 1,P.AC1
25 02417 050745 STA 2,P.AC2
26 02420 020434 LDA 0,P.C15
27 02421 004747 JSR CHAR IPRINT CARRIAGE AND LF
28 02422 020431 LDA 0,P.C12
29 02423 000651 JMP P.LST
30
31 02424 000000 CHRET: 0
32 02425 000000 CHORZ: 0
33 02426 000000 MESSR: 0

```

```

^ 0036 .MAIN
01 02427 054430 TYPE: STA 3,TYPRET ;TYPE THE C(0)R IF
02 02430 074477 READS 3 ;SWITCH 1(0).
03 02431 177122 ADDZL 3,3,SZC
04 02432 000404 JMP .+4 ;INHIBIT TYPE EXIT.
05 02433 063511 SKPBZ TTO
06 02434 000777 JMP .-1
07 02435 061111 DOAS 0,TTO
08 02436 034731 LDA 3,P.377
09 02437 175220 MOVZR 3,3
10 02440 163400 AND 3,0
11 02441 116043 ADCO 0,3,SNC
12 02442 034414 LDA 3,P.C40
13 02443 162432 SUBZ# 3,0,SZC ;SKIP NON-PRINTING CHAR
14 02444 010761 ISZ CHORZ
15 02445 034407 LDA 3,P.C15
16 02446 116445 SUBO 0,3,SNR
17 02447 054756 STA 3,CHORZ ;CLR HORZ POS
18 02450 002407 JMP #TYPRET
19 02451 000007 P.C7: 7
20 02452 000011 P.C11: 11
21 02453 000012 P.C12: 12
22 02454 000015 P.C15: 15
23 02455 000240 P.240: 240
24 02456 000040 P.C40: 40
25 02457 000000 TYPRET: 0

```

```

A 0037 .MAIN
01 02460 020773 TINC.: LDA      0,P.C12
02 02461 004746      JSR      TYPE
03 02462 010744 TINX.: ISZ      MESSR
04 02463 024700 TINR.: LDA      1,P.AC1
05 02464 034676      LDA      3,ZSUPP
06 02465 175102      MOVL     3,3,SZC
07 02466 124400      NEG      1,1
08 02467 000607      JMP      PEXIT+1
09
10 02470 102121 TINO.: ADCZL   0,0,SKP  IOCTAL ENTRY
11 02471 102440 TIND.: SUBO    0,0      IDECIMAL ENTRY
12 02472 054734      STA      3,MESSR
13 02473 050671      STA      2,P.AC2  IAC2 IS SAVED
14 02474 030757      LDA      2,P.C12
15 02475 113000      ADD      0,2
16 02476 102440      SUBO    0,0
17 02477 040663      STA      0,ZSUPP  IMINUS SIGN AND LEADING SPACES FLAG
18 02500 034662 TINS.: LDA      3,ZSUPP
19 02501 175004      MOV      3,3,SZR
20 02502 000760      JMP      TINX.
21 02503 054660 TINW.: STA      3,P.AC1
22 02504 063610      SKPDN   TTI
23 02505 000777      JMP      .-1
24 02506 060610      DIAC    0,TTI
25 02507 004661      JSR     CHAR
26 02510 034746      LDA      3,P.C40
27 02511 116414      SUB#    0,3,SZR
28 02512 101015      MOV#    0,0,SNR
29 02513 000765      JMP     TINS.   ISPACE, TAB, OR NULL
30 02514 024432      LDA      1,TIN2.
31 02515 106015      ADC#    0,1,SNR  ICOMMA
32 02516 000744      JMP     TINX.
33 02517 106424      SUBZ    0,1,SZR  IMINUS
34 02520 000405      JMP     TINM.   INO
35 02521 034641      LDA      3,ZSUPP
36 02522 177200      ADDR   3,3      ICOMPLEMENT SIGN
37 02523 054637      STA      3,ZSUPP
38 02524 000760      JMP     TINW.+1
39 02525 136415 TINM.: SUB#    1,3,SNR  IIS IT A CARRIAGE RETURN?
40 02526 000732      JMP     TINC.
41 02527 024416 TINN.: LDA      1,TIN1.
42 02530 107022      ADDZ    0,1,SZC  ISKIP IF NOT A DIGIT
43 02531 146513      SUBL#   2,1,SNR  ISKIP IF DIGIT
44 02532 000731      JMP     TINR.
45 02533 010627      ISZ     ZSUPP   IOUT OF LEADING SPACES
46 02534 020627      LDA      0,P.AC1
47 02535 101120      MOVZL   0,0
48 02536 115120      MOVZL   0,3
49 02537 175120      MOVZL   3,3
50 02540 137000      ADD     1,3      I8 OLD P.AC1'S + NEW DIGIT
51 02541 145220      MOVZR   2,1
52 02542 125232      MOVZR#  1,1,SZC  ISKIP IF OCTAL MODE
53 02543 117000      ADD     0,3      IADD 2 OLD P.AC1'S
54 02544 000737      JMP     TINW.
55 02545 177720 TIN1.:  -60
56 02546 000055 TIN2.:  55
57 02547 040703      CANNOT: .TXTE   ICANNOT IDENTIFY CPU  !
02550 047116

```

0038 .MAIN  
02551 152317  
02552 144640  
02553 142504  
02554 152116  
02555 143311  
02556 120131  
02557 050303  
02560 120125  
02561 000240



A 0039 .MAIN

```
01      ]PROCESSOR TIMER PACKAGE
02      ]THIS PACKAGE IS CALLED WHENEVER IT IS NECESSARY TO
03      ]IDENTIFY THE MEAN TIME BASE OF THE COMPUTER IN
04      ]WHICH THE PROGRAM RESIDES. THE MEAN TIME BASE MAY
05      ]THEN BE UTILIZED TO VERIFY OR CALCULATE THE RELATIONSHIPS
06      ]OF OTHER PERIPHERAL FUNCTIONS.
07      ]
08      ]THE PACKAGE RETURNS TO THE CALL INSTRUCTION WITH
09      ]THE CONTENTS OF AC1= TO A CALIBRATION COUNT
10      ]THAT MAY BE INCREMENTED TO OVERFLOW IN 100 MILLI-
11      ]SECONDS BY THE FOLLOWING DELAY LOOP.
12      ]TYPE1: MOV 0,0
13      ]      INC 0,0,SZC      ]SKP=NOT OVERFLOW
14      ]      JMP 1,3          ]EXIT LOOP
15      ]      0              ]ANY FLAVOR IO SKP
16      ]      JMP TYPE1
17      ]
18      ]THE CONTENTS OF AC2 WILL CONTAIN A SIMILAR 100 MS
19      ]ITERATION COUNT BUT FOR THE FOLLOWING LOOP:
20      ]TYPE2: NIO 0
21      ]      DIA 1,.DEV      ]GET DEVICE STATUS
22      ]      AND# 2,1,SZR    ]ANY STATUS COMPARE
23      ]      JMP .+4        ]EXPECTED STATUS EXIT
24      ]      INC 0,0,SZR    ]SKP OUT ON LOOP OFLOW
25      ]      JMP TYPE2
26      ]
27      ]THE VALUES RETURNED MAY BE ARITHMETICALLY
28      ]PROCESSED (MULTIPLIED/DIVIDED) FOR LONGER OR
29      ]SHORTER DELAYS AS LONG AS THE STANDARD LOOPS
30      ]LISTED ABOVE ARE UTILIZED.
31      ]
32      ]IT IS RECOMMENDED THAT ALL TIMING FUNCTIONS
33      ]BE PERFORMED WITHIN THE SAME GENERAL AREA OF
34      ]MEMORY AS THIS TIMING PACKAGE.
```

A 0040 .MAIN

```
01 ;
02 ;INITIALLY, THE TIMER PACKAGE ATTEMPTS TO
03 ;DETERMINE IF THE COMPUTER HAS A REAL TIME CLOCK
04 ;AVAILABLE. THE ITERATION COUNTS ARE DEVELOPED SIMPLY
05 ;BY SYNCING WITH THE CLOCK AND COUNTING
06 ;THE #OF LOOP ITERATIONS AT 10 HZ.
07 ;
08 ;IF, HOWEVER THERE IS NO REAL TIME CLOCK THE MEAN
09 ;TIME BASE OF THE LOOPS MUST BE CALCULATED. THIS
10 ;IS PERFORMED BY COUNTING THE #OF TIMES THE
11 ;STANDARD LOOPS ARE ITERATED FOR ONE OUTPUT
12 ;CHARACTER TO DEVICE "TTO" AND REQUESTING THE
13 ;BAUD RATE OF DEVICE TTO BE TYPED IN BY THE
14 ;TEST OPERATOR.
15 ;
16 02562 054557 PTIME: STA 3,SVTIME
17 02563 063514 SKPBZ RTC ;TEST FOR CAS/RTC
18 02564 000416 JMP SCORE ;CAS RTC NONEXIS.
19 02565 060114 NIOS RTC ;TURN CLOCK ON
20 02566 063514 SKPBZ RTC ;BUSY =1 IS RTC
21 02567 000403 JMP .+3
22 02570 063614 SKPDN RTC ;DONE =0 NO RTC
23 02571 000411 JMP SCORE ;AND DEV TTO IS USED
24 02572 062677 IORST
25 02573 102520 SUBZL 0,0 ;=10 HZ FOR RTC
26 02574 004473 JSR TYME
27 02575 061114 DOAS 0,RTC ;PASSED TO "TYME"
28 02576 063514 SKPBZ RTC ;FOR EXECUTION
29 02577 002542 JMP @SVTIME ;AC1 AND AC2=LOOP COUNTS
30 ;
31 ;THE FOLLOWING SUBROUTINE IS TO RETAIN COMPATABILITY
32 ;WITH THE OLD PROCESSOR IDENTIFICATION AND TIMING
33 ;PACKAGE TO RETRIEVE THE LOOP COUNT FOR
34 ;THE DIA,B OR C LOOP TYPE 2
35 02600 024540 .3DI: LDA 1,NUCAL
36 02601 001400 JMP 0,3
```

```

^ 0041 .MAIN
01 ;
02 ;THERE IS NO RTC-UTILIZE DEVICE TTD AND ASK FOR
03 ;BAUD RATE INPUT FROM OPERATOR
04 02602 062677 SCORE: IORST
05 02603 102400 SUB 0,0 ;AC0=NULL CHARACTER
06 02604 004463 JSR TYME
07 02605 061111 DOAS 0,TTD ;PASSED TO TYME
08 02606 063511 SKPBZ TTD ;FOR EXECUTION
09 02607 006533 SCORA: JSR @TUMBLER ;OUT TEXT
10 02610 002752 SESOUT ;ASKING FOR BAUD RATE
11 ;THE FOLLOWING SERIES OF INSTRUCTIONS WILL
12 ;CALCULATE THE ITERATION COUNT FOR
13 ;1 BIT OF TTD OUTPUT AFTER RETRIEVING
14 ;THE CONSOLE BAUD RATE FROM THE
15 ;TEST OPERATOR---REQUIRES SUBROUTINE TIND
16 02611 006533 JSR @KEYS
17 02612 000775 JMP SCORA ;INPUT ERROR
18 02613 044530 STA 1,LOCK ;SAVE BAUD RATE
19 02614 030535 LDA 2,S.3D1 ;10
20 ;ROUTINE ASSUMES AN 11 BIT CHARACTER
21 02615 151400 INC 2,2 ;ASSUME 11 BITS
22 02616 024521 LDA 1,ORDINAL ;COUNT FOR FULL CHAR
23 02617 102400 SUB 0,0
24 02620 006526 JSR @KEYS+2 ;CHAR TIME/*BITS
25 02621 101004 MOV 0,0,SZR ;IF ANY REM.
26 02622 125400 INC 1,1 ;FUDGE BIT COUNT
27 02623 020520 LDA 0,LOCK
28 02624 044517 STA 1,LOCK ;SAVE ITR COUNT 1 BIT
29 02625 131000 MOV 1,2
30 02626 105000 MOV 0,1 ;AC1 = BAUD RATE
31 ;BAUD RATE TIMES COUNT FOR 1 BIT
32 ;WILL EQUAL ITERATION COUNT FOR 1 SECOND
33 02627 102400 SUB 0,0
34 02630 006515 JSR @KEYS+1 ;MUL AC1*AC2
35 02631 040517 STA 0,KN ;SAVE DOUBLE LENGTH
36 02632 044515 STA 1,KS ;RESULT
37 ;1 SECOND DIVIDED BY 10 = 100 MILLISECONDS
38 02633 030516 LDA 2,S.3D1 ;10
39 02634 006512 JSR @KEYS+2
40 02635 030502 LDA 2,ORDINAL ;COUNT FOR 1 CHAR
41 02636 044501 STA 1,ORDINAL ;ORDINAL=100 MS TYPE 1
42 ;CONTINUE CALCULATIONS NEXT PAGE

```

```

A 0042 .MAIN
01
02
03
04 02637 020511 LDA 0,KN
05 02640 024507 LDA 1,KS
06 02641 006505 JSR @KEYS+2
07 02642 044505 STA 1,KS
08
09 02643 145120
10 02644 111005
11 02645 151400
12 02646 102400
13 02647 006477
14
15
16 02650 131000
17 02651 024467
18 02652 125120
19 02653 102400
20 02654 006472
21 02655 121000
22 02656 024462
23 02657 030470
24 02660 006465
25
26 02661 030470
27 02662 006464
28 02663 044455
29 02664 131000
30 02665 024452
31 02666 002453

;
;1 SECOND COUNT/1 CHAR COUNT = # CHAR'S PER SEC
;THIS CALCULATION IS USED TO EXPAND THE TYPE 2 COUNT
LDA 0,KN
LDA 1,KS
JSR @KEYS+2
STA 1,KS
;1 SEC. RESTORED
;DIVIDE BY CHAR.
;# CHAR. 1 SEC

;CALC RELATIONSHIP OF REM. TO 1 CHAR TO FILL SECOND
MOVZL 2,1
MOV 0,2,SNR
INC 2,2
SUB 0,0
JSR @KEYS+2
;DIVIDE REM INTO CHAR

;AC1=FUDGE FACTOR 1 RELEATIONSHIP OF CHAR TO TOTAL 1 SEC
;FINISH CALCULATIONS ON LOOP TYPE 1 TO= 1SECOND
MOV 1,2
LDA 1,NUCAL
MOVZL 1,1
SUB 0,0
JSR @KEYS+2
;WILL =
;PORTION OF CHAR
;TO COMPLETE 1 SECOND
;1 CHAR. TYPE 2 LOOP
;# CHARS IN 1 SEC
;+ PORTION OF CHAR

;DOUBLE LENGTH AC0,AC1=1 SECOND FOR TYPE 2 LOOP
LDA 2,S.3D1
JSR @KEYS+2
STA 1,NUCAL
MOV 1,2
LDA 1,ORDINAL
JMP @SVTIME
;DIVIDE BY 10 FOR 100 MS
;AC2=100MS LOOP2
;AC1 =100MS LOOP 1

```

A 0043 .MAIN

```
01      ;
02      ;THE FOLLOWING SUBROUTINE DETERMINES THE ITERATION
03      ;COUNTS FOR THE DEVICE SPECIFIED BY THE INSTRUCTIONS
04      ;FOLLOWING THE JSR CALL TO TYME
05      ;DOAS 0,RTC      OR      DOAS 0,TTO
06      ;SKPBZ RTC      OR      SKPBZ TTO
07      ;
08 02667 024001 TYME:  LDA 1,1      ;SAVE INTR. LINK
09 02670 044446      STA 1,RVTMP
10 02671 024437      LDA 1,ENTYM
11 02672 044001      STA 1,1      ;FOR LOOP 2 INTR.
12 02673 025400      LDA 1,0,3      ;GET DOAS
13 02674 044410      STA 1,TIMA
14 02675 044414      STA 1,TIMB
15 02676 044421      STA 1,TIMC      ;FOR EXECUTE
16 02677 025401      LDA 1,1,3      ;GET SKPBZ
17 02700 044405      STA 1,TIMA+1
18 02701 044414      STA 1,TIMB+4      ;FOR EXECUTE
19 02702 152400      SUR 2,2
20 02703 126400      SUB 1,1      ;CLR CTRS
21 02704 061114 TIMA:  DOAS 0,RTC      ;OR TTO
22 02705 063514      SKPBZ RTC
23 02706 000777      JMP .-1      ;WAIT FOR DONE
24 02707 124004      COM 1,1,SZR      ;AND 2ND DONE
25 02710 000774      JMP TIMA      ;THEN START COUNTING
26 02711 061114 TIMB:  DOAS 0,RTC      ;THE THIRD DONE
27      ;THE FOLLOWING COMPRISES LOOP TYPE 1
28 02712 101000      MOV 0,0
29 02713 125405      INC 1,1,SNR      ;WATCH FOR OFLOW
30 02714 000403      JMP .+3
31 02715 063514      SKPBZ RTC
32 02716 000774      JMP TIMB+1
33      ;LOOP TYPE 2 IS COUNTED UNTIL PI FROM DEVICE
34 02717 061114 TIMC:  DOAS 0,RTC
35 02720 060177      INTEN
36      ;THE FOLLOWING INSTR. COMPRISE THE LOOP TYPE 2
37 02721 060000      NIO 0      ;AND IT ITERATES UNTIL
38 02722 060400      DIA 0,0 ;INTERRUPTED BY PI
39 02723 102005      ADC 0,0,SNR
40 02724 063077      HALT      ;FILL INSTR.
41 02725 151404      TNC 2,2,SZR      ;LOOP CTR
42 02726 000773      JMP TIMC+2
43 02727 063077      HALT      ;DEVICE OR PI FAILED
44 02730 002731 ENTYM: .+1      ;TO HERE WHEN PI
45 02731 044406      STA 1,ORDINAL ;SAVE LOOP 1
46 02732 050406      STA 2,NUCAL  ;AND LOOP 2
47 02733 020403      LDA 0,RVTMP
48 02734 040001      STA 0,1      ;RESTORE INTR. LINK
49 02735 001402      JMP 2,3 ;RETURN TO CALL
```

A 0044 .MAIN

01  
02 ;CONSTANTS SUBR. LINKS AND TEMP STORES  
03 02736 000000 RVTMP: 0  
04 02737 000000 ORDINAL: 0  
05 02740 000000 NUCAL: 0  
06 02741 000000 SVTIME: 0  
07 02742 002255 TUMBLER: MESS  
08 02743 000000 LOCK: 0  
09 02744 002471 KEYS: TIND  
10 02745 000256 MULT+1  
11 02746 000270 IDIV+1  
12 02747 000000 KS: 0  
13 02750 000000 KN: 0  
14 02751 000012 S.3D1: 10.  
15 SESOUT: .TXTE !<15><12><12>

02752 005215  
16 02753 152012 TTD BAUD RATE ?= !  
02754 147724  
02755 041240  
02756 052501  
02757 120104  
02760 040722  
02761 142724  
02762 037640  
02763 120275  
02764 000000

17

18 .TXT /COPYRIGHT (C) DGC,1969,70,72,73,74

02765 047503  
02766 054520  
02767 044522  
02770 044107  
02771 020124  
02772 041450  
02773 020051  
02774 043504  
02775 025103  
02776 034461  
02777 034466  
03000 033454  
03001 026060  
03002 031067  
03003 033454  
03004 026063  
03005 032067

19 03005 046101 ALL RIGHTS RESERVED/

03007 020114  
03010 044522  
03011 044107  
03012 051524  
03013 051040  
03014 051505  
03015 051105  
03016 042526  
03017 000104

20

21 03020 000000 PRGEND: 0 ;REST OF CORE IS BUFFER

A 0045 .MAIN

01  
02  
03  
04

003061

.LOC .+40  
.TXTE !PTP-R DIA6!

03061 152120  
03062 026520  
03063 120322  
03064 144504  
03065 033101  
03066 000000  
05 03067 000010  
06 03070 000002  
07 03071 000002  
08 03072 000060  
09 03073 000000  
10 03074 000000  
11 03075 000000  
12 03076 100012

000010  
000002  
000002  
000060  
000000  
000000  
000000  
100012

13  
14

.END

0046 .MAIN

A00	000753	5/19	6/51	7/30	16/02	21/38	29/32
A02	000760	16/08					
A04	000766	16/15	16/33				
A17	001013	16/37					
A18	001015	17/02					
A20	001023	17/09					
A21	001030	17/15					
A24	001035	17/21					
A26	001043	17/28					
A28	001052	17/36					
A30	001061	17/44					
A32	001071	18/02					
A34	001101	18/11					
A36	001110	18/19					
A38	001120	18/28					
A40	001127	18/36					
A42	001137	18/45					
A44	001145	18/52					
A46	001153	19/02					
A48	001165	19/13					
A50	001176	19/23					
A52	001204	19/30					
A54	001214	19/39					
A56	001231	20/02					
A58	001244	20/14					
A60	001253	20/22					
A62	001263	20/31					
A64	001274	20/41					
A66	001304	20/50					
A68	001313	21/02					
A70	001330	21/16					
ALTER	000422	10/22					
ALTPU	000400	5/24	10/04				
ALTR1	000503	11/44	11/54	11/55			
ALTRE	000472	5/25	11/34	11/52			
AUTOE	002220	31/32	31/40				
BAD	000147	6/32	12/02	12/12			
HADEQ	001360	12/11	21/41				
C0774	000067	5/34	12/18	12/33			
C1000	000141	6/26	13/30	14/31			

C14AM	ИИ0155	6/38	12/26					
C16	ИИ0130	6/17						
C1630	ИИ0127	6/16						
C20	ИИ1534	22/26	23/58	25/38	25/50	26/03		
C4	ИИ0077	5/43	19/15	20/03				
C4M	ИИ0104	5/48	10/06					
C54	ИИ0125	6/14						
C5405	ИИ0124	6/13						
C6	ИИ0100	5/44	21/11	21/25				
C6MK	ИИ0115	6/06	7/07	7/13	7/20	7/24		
C77x	ИИ0137	6/24	11/06	12/29				
C7K	ИИ0126	6/15						
CAL1A	ИИ0071	5/36	8/41	13/28				
CALIB	ИИ0070	5/35	8/26	8/45	13/09	13/25	21/08	21/22
CANNO	ИИ2547	13/16	37/57					
CCNID	ИИ1533	23/40	23/57					
CD100	ИИ0623	13/26	13/36					
CD5x	ИИ0343	8/44	8/57					



## 0047 .MAIN

CDVCD	000113	6/04	7/09	7/14	7/37					
CHAR	002370	32/13	33/38	33/41	34/31	35/01	35/27	37/25		
CHAR1	002400	35/09								
HA.3	002405	35/11	35/14	35/19						
CHORZ	002425	35/16	35/20	35/32	36/14	36/17				
CHRET	002424	35/01	35/13	35/21	35/31					
CIDIV	000062	5/29	13/27	21/10	21/24					
CIDY	000111	6/02	7/35							
CJPUN	000426	10/04	10/26							
CNIOC	001012	16/20	16/35							
CPTR.	000121	6/10	7/16	26/45						
CREAD	000110	5/52	10/08							
CRLF	002415	6/35	32/15	35/23						
CTABZ	000731	15/18	15/40							
CTRPU	000402	5/22	10/06							
CTRR1	000451	11/15	11/18	11/27	11/29	11/32				
CTRR2	000470	11/25	11/31							
CTRRE	000447	5/23	11/13							
CYCLE	002122	5/40	30/23							
CYCTS	002161	30/28	31/04							
DECOC	002317	34/13	34/32	34/34	34/42					
DECOT	002326	34/20	34/25							
DECP	002334	34/21	34/26							
DECTB	002353	34/07	34/42							
DEL	000063	5/30	11/09							
DEL1	000064	5/31	12/36							
DELAY	000344	5/32	9/02							
DEVCI	000241	7/41	7/52							
DEVCI2	000246	7/39	7/46							
DEVCD	000231	7/12	7/18	7/32	7/44					
DEVRE	000122	6/11	7/32	7/45						
DLOOP	000273	8/15	8/20							
DVCD	000114	6/05	7/11	7/17	7/22	7/49				
EGGS	002056	29/14	31/41	31/49						
EHALT	006076	5/42	16/05	16/10	16/29	17/06	17/12	17/18	17/24	
		17/32	17/40	17/46	18/06	18/16	18/24	18/33	18/42	
		18/49	18/56	19/10	19/20	19/27	19/36	19/50	20/11	
		20/19	20/28	20/38	20/47	20/55	21/13	21/27	22/05	
		22/10	22/16	22/22	22/32	22/40	22/48	22/54	23/05	
		23/12	23/19	23/28	23/49	24/08	24/17	24/26	25/07	
		25/20	25/34	25/46	25/57	26/09	26/20	26/27	26/38	
		26/48	27/05	27/26	28/04	28/06	28/08	28/10	28/12	
		28/14	28/16	28/18	28/21	28/23	28/25	28/27	28/29	
		28/31	28/33	28/35	29/08					
ENDIT	002100	6/08	30/02							
ENTER	002101	5/39	30/04							
ENTYM	002730	43/10	43/44							
EPRIN	002234	31/37	31/48	32/02						
ER	000076	5/41	5/42							
ERET	002202	31/24	31/38							
ERR	002173	5/41	31/16							
ERR1	002210	31/23	31/31							
ERRCT	002114	30/09	30/16	30/42	31/03	31/27				
.SWIT	002113	29/09	30/08	30/15	30/33	31/07	31/21	31/33	32/02	
		32/10								
FIRST	000116	6/07	7/33							
FLOT	000703	15/12	15/16	15/33						
FLTCT	000752	15/03	15/06	15/09	15/11	15/28	15/30	15/32	15/57	
GET	000645	6/20	11/14	11/16	11/37	11/45	14/20			

GET1	000654	14/22	14/27							
GET2	000657	14/26	14/31							
GOOD	000146	6/31	12/03	12/08						
GOODE	001355	12/07	21/40							
HEADE	002253	32/05	32/19							
HERE	000161	5/05	6/46							
HSPUN	000157	6/40	13/33	14/02	14/08					
HSREA	000156	6/39	13/07	14/20						
ICHAR	002246	30/45	32/13							
ICRLF	002250	30/41	32/03	32/15						
IDIV	000267	5/20	8/11	44/11						
IGET	000133	6/20	15/24	15/34						
IIINT	000123	6/12	15/01	15/23	22/02					
IMESS	002245	32/04	32/12							
INIT	000562	6/12	10/12	11/13	11/34	13/02	16/02			
INTEM	000622	13/08	13/34	13/35						
IPDEC	002252	30/43	32/17							
IPFLT	000135	6/22								
IPOCT	002251	32/09	32/16							
IPUT	000131	6/18	10/18	15/05	15/13					
IRDER	000134	6/21	15/38							
IRFLT	000136	6/23								
ITR	002111	8/38	30/05	30/13	30/30					
ITRCT	002112	30/06	30/14	30/27	30/31					
ITYPE	002247	32/14								
IZOCT	000154	6/37	12/09	12/13						
K17	000132	6/19	15/16							
K40	000176	7/03	16/13	23/33						
KEYS	002744	41/16	41/24	41/34	41/39	42/06	42/13	42/20	42/24	
		42/27	44/09							
KN	002750	41/35	42/04	44/13						
KS	002747	41/36	42/05	42/07	42/23	44/12				
LAST	000117	6/08	7/42							
LEDR	000072	5/37								
LENGT	000142	6/27	10/19	10/34	11/26	11/53	12/32			
LOCK	002743	41/18	41/27	41/28	44/08					
LOOP	000075	5/40	16/06	16/11	16/30	17/07	17/13	17/19	17/26	
		17/34	17/42	17/51	18/09	18/17	18/26	18/34	18/43	
		18/50	18/57	19/11	19/21	19/28	19/37	19/51	20/12	
		20/20	20/29	20/39	20/48	20/56	21/14	22/06	22/11	
		22/17	22/23	22/33	22/41	22/49	22/57	23/06	23/13	
		23/22	23/31	23/52	24/09	24/18	24/27	25/08	25/21	
		25/35	25/47	25/58	26/10	26/21	26/28	26/39	26/49	
		27/12	27/27	28/36						
LOOPR	002121	30/04	30/11	30/21	31/12					
M1AM	000322	7/19	7/47	8/25	8/39					
MDCTR	000302	8/03	8/13	8/22						
MESS	002255	6/36	32/12	33/26	33/39	44/07				
MESSR	002420	33/26	33/29	33/47	34/09	35/23	35/33	37/03	37/12	
MLOOP	000260	8/04	8/04							
MSAV	000303	8/02	8/10	8/12	8/21	8/23				
MULT	000255	8/01	44/10							
NOEX	002152	30/37	30/50							
NUCAL	002740	40/35	42/17	42/22	42/28	43/46	44/05			
OCTAB	002343	34/04	34/34							
ORDIN	002737	41/22	41/40	41/41	42/30	43/45	44/04			
OUT	000611	13/13	13/25							
PASS	000107	5/51								
PASSE	001363	21/32	21/42	29/22						

0049 .MAIN

PCENT	002157	30/39	30/44	30/48	31/02				
PDEC	002310	32/17	34/06						
PEXIT	002275	33/42	34/17	37/08					
FLT	000666	5/26	6/22	15/01					
FLT1	000675	15/09	15/14						
POCT	002304	32/16	34/02						
PRGEN	003020	44/21							
PTIME	002562	5/33	40/16						
PTR.	000013	6/43	14/05	14/06	14/11	14/13	16/04	16/09	16/16
		16/18	16/19	16/28	16/35	16/38	17/16	17/17	17/22
		17/23	17/29	17/30	17/31	17/37	17/39	17/45	17/46
		17/47	17/49	18/03	18/05	18/07	18/12	18/15	18/20
		18/22	18/23	18/29	18/31	18/32	18/37	18/39	18/40
		18/46	18/48	18/53	18/55	19/05	19/14	19/31	19/45
		20/06	20/15	20/23	20/32	20/42	20/51	20/52	20/54
		21/03	21/05	21/07	21/17	21/19	21/21		
PTR.	000012	6/44	13/03	13/04	14/23	14/25	22/04	22/09	22/15
		22/20	22/21	22/44	22/46	22/52	22/53	22/56	23/02
		23/04	23/09	23/10	23/11	23/16	23/18	23/21	23/25
		23/26	23/27	23/30	23/36	23/38	23/39	23/48	23/51
		23/57	24/03	24/05	24/07	24/12	24/14	24/15	24/16
		24/21	24/23	24/24	24/25	25/03	25/05	25/06	25/16
		25/18	25/30	25/32	25/42	25/44	25/53	25/55	26/05
		26/07	26/14	26/16	26/31	26/33	26/42	26/44	27/06
		27/07	27/09	27/18	27/19	27/21	27/31	27/34	27/36
		29/03	29/04	29/06					
PUNDA	000106	5/50	10/11	10/14	10/16				
PUNDE	000427	10/13	10/29						
PUNRE	000144	5/29	10/29	10/35	11/05	11/10			
PUT	000624	6/18	14/02						
PUT1	000641	14/10	14/15						
P.240	002455	35/14	36/23						
P.377	002367	33/31	34/56	36/08					
P.AC1	002363	33/27	33/42	34/10	34/52	35/24	37/04	37/21	37/46
P.AC2	002364	33/28	33/43	34/03	34/06	34/53	35/25	37/13	
P.C11	002452	35/09	36/20						
P.C12	002453	35/28	36/21	37/01	37/14				
P.C15	002454	35/26	36/15	36/22					
P.C40	002456	36/12	36/24	37/26					
P.C60	002366	34/02	34/23	34/27	34/55				
P.C7	002451	35/17	36/19						
P.LST	002274	33/41	35/29						
P.TAB	002365	34/15	34/54						
R00	001366	5/20	21/37	22/02	29/31				
R02	001373	22/08							
R04	001377	22/13							
R06	001404	22/19							
R08	001411	22/25							
R10	001422	22/35							
R11	001431	22/43							
R12	001440	22/51							
R14	001447	23/01							
R16	001455	23/08							
18	001463	23/15							
20	001473	23/24							
R22	001505	23/35	23/55						
R36	001535	24/02							
R38	001545	24/11							
R40	001555	24/20							

0050 .MAIN

R42	001565	25/02							
R44	001574	25/10							
R46	001610	25/23							
R48	001625	25/37							
R50	001640	25/49							
R52	001652	26/02							
R54	001663	26/12							
R56	001675	26/23							
R58	001703	26/30							
R60	001715	26/41							
R62	001726	27/02	27/11						
R62A	001756	27/17	27/27						
R64	001741	27/14							
R66	001757	27/29	27/41						
R68	002035	29/02	29/11						
R69	002063	29/12	29/20						
RDAT	000145	6/30	11/15	11/20	11/22	11/42	11/47	11/49	
RDERR	000517	6/21	11/31	11/36	12/02				
RDWI	000534	11/02	11/28	11/44	12/16	12/35			
RER	000151	6/34	12/04	12/14	12/16	12/37			
RETUR	002115	30/17	30/23	30/53	31/13	31/16	31/29	31/31	31/45
		32/06							
RFLT	000711	5/27	6/23	15/23					
RFLT1	000717	15/30	15/37	15/39					
RVTMP	002736	43/09	43/47	44/03					
RZCTR	000140	6/25	13/31	14/33	14/34				
SAV0	002120	30/20	30/26	30/50	31/04	31/19	31/26		
SAV1	002117	30/19	30/25	30/51	31/05	31/18	31/25	31/44	
SAV2	002116	30/18	30/24	30/52	31/06	31/17	31/24		
SCOREA	002607	41/09	41/17						
SCORE	002602	40/18	40/23	41/04					
SESDU	002752	41/10	44/15						
SETUP	000074	5/39	16/03	16/08	16/15	17/02	17/09	17/15	17/21
		17/28	17/36	17/44	18/02	18/11	18/19	18/28	18/36
		18/45	18/52	19/02	19/13	19/23	19/30	19/39	20/02
		20/14	20/22	20/31	20/41	20/50	21/02	22/03	22/08
		22/13	22/19	22/25	22/35	22/43	22/51	23/01	23/08
		23/15	23/24	23/35	24/02	24/11	24/20	25/02	25/10
		25/23	25/37	25/49	26/02	26/12	26/23	26/30	26/41
		27/02	27/14	27/29	29/02				
START	000177	5/07	6/57	7/05					
SVTIM	002741	40/16	40/29	42/31	44/06				
SWPN1	000415	10/09	10/17	10/20	10/21	10/25			
SWPUN	000404	5/21	10/08						
S.3D1	002751	41/19	41/38	42/26	44/14				
TABZ	000732	15/41							
TIMA	002704	43/13	43/17	43/21	43/25				
TIMB	002711	43/14	43/18	43/26	43/32				
TIMC	002717	43/15	43/34	43/42					
TIME	000065	5/32	16/17	21/06	21/20	22/45	22/55	23/20	23/29
		23/37	23/50	24/04	24/13	24/22	25/04	25/17	25/31
		25/43	25/54	26/06	26/15	26/32	26/43	29/05	
TIMEY	000102	5/46	9/05	9/11	21/09	21/23			
TIN1.	002545	37/41	37/55						
TIN2.	002546	37/30	37/56						
TINC.	002460	37/01	37/40						
TIND	002471	37/11	44/09						
TINN.	002525	37/34	37/39						
TINN.	002527	37/41							

0051 .MAIN

TIND	002470	37/10							
TINR.	002463	37/04	37/44						
TINS.	002500	37/18	37/29						
TNW.	002503	37/21	37/38	37/54					
TINX.	002462	37/03	37/20	37/32					
TRAN	000143	6/28	11/03	12/17	12/24				
TUMBL	002742	41/09	44/07						
TYME	002667	40/26	41/06	43/08					
TYPE	002427	32/14	35/12	35/15	36/01	37/02			
TYPRE	002457	36/01	36/18	36/25					
W100	000101	5/45	20/53						
W144	000105	5/49	8/35						
WAIT	000073	5/38	17/25	17/33	17/41	17/50	18/08	18/13	18/21
		18/25	18/30	18/38	18/47	18/54	19/06	19/17	19/32
		19/46	20/07	20/16	20/24	20/33	20/43	21/04	21/18
WAIT5	000103	5/47	21/16						
WAITX	000304	5/38	6/07	8/25	8/33				
WAITY	000310	8/29	8/35						
WHO	000056	5/33	13/11						
X377	000150	6/33	11/19	11/46	15/02				
XCRLF	000152	6/35	12/05	13/14	21/30	29/20			
XDEL	000327	5/30	8/42	8/45	8/55				
XDEL1	000323	5/31	8/41						
XMESS	000153	6/36	12/06	12/10	13/15	21/31	29/21		
XGRDE	000175	7/02	16/14	16/21	16/31	23/34	23/41	23/53	
XSAV	000112	5/06	6/03	6/56	7/05	7/15			
XW100	000325	5/45	8/43						
XWAIT	000326	5/47	8/44						
X13	000120	6/09	7/10	20/44					
ZOCT	002303	6/37	34/01						
ZSUPP	002362	34/11	34/18	34/28	34/51	37/05	37/17	37/18	37/35
		37/37	37/45						
.3DI	002500	40/35							
.AA03	002233	31/40	31/47	31/51					

