

PARTS LIST
ZETACO

FOR: 990 SMD+ ALTN TRK (KPS) EPROM SET

ASSEMBLY #: 200-087-00
REV. LEVEL: A

ITEM	QTY	PART #	GENERIC DESCRIP.	DESCRIPTION	REFERENCE
----	----	-----	-----	-----	-----
1	1	100-493-00	IC 6353-IJ	1024X4 MEMORY BIPOLAR	C13=P15001
2	1	100-173-00	IC 63S081	32X8 MEMORY BIPOLAR	C11=P15101
3	6	100-494-00	IC 27S35	BIT SLICE PROM	A8=P14401, A9=P14501, A10=P14601, A11=P14701, A12=P14801, A13=P14901
4	8	099-007-00	LABEL	DAT-25-502-10 BRADY	C13,C11,A8,A9, A10,A11,A12,A13
5	2	100-158-00	IC 2716	ERASABLE PROM	F15=P15201,
6	2	099-008-00	LABEL	DAT-18-502-10 BRADY	F13=P15301 F15,F13

End of List

No Control Documents on file for this list

ADDENDUM
ZETACO

FOR: 990 SMD+ ALTN TRACK (KPS) EPROM SET

ASSEMBLY #: 200-087-00
REV. LEVEL: A

990 SMD+ DRIVE TYPE CONFIGURATION SUBSET 021, REVISION 01

BANK ****	SW4 ***	SW3 ***	SW2 ***	SW1 ***	DISK DRIVES SUPPORTED *****	DT CODE *****	SECT ****	SIZE MB *****	MAP *****	CYL *****
0	ON	ON	ON	ON	FOR NO DRIVE SELECTED	0.00	0	0		0
1	ON	ON	ON	OFF	CDC 9762 CDC 9730-80 CDC 9710 CENTURY T-82 KENNEDY 5380 KENNEDY 7380 TECSTOR S-85	2.08	62	64.8		6
2	ON	ON	OFF	ON	CDC 9730-160 CDC 9715 KENNEDY 53160 TECSTOR S-165	9.08	62	129.0		10
3	ON	ON	OFF	OFF	CDC 9715-340	50.08	62	267.0		10
4	ON	OFF	ON	ON	CDC 9715-515	51.08	93	400.5		10
5	ON	OFF	ON	OFF	CDC 9766 CENTURY T302 CENTURY T306 CENTURY AMS 315 TECSTOR S-300	4.08	62	245.2		10
6	ON	OFF	OFF	ON	CENTURY AMS 513	60.08	98	398.0		10
7	ON	OFF	OFF	OFF	CENTURY AMS 571	61.08	98	443.8		10
8	OFF	ON	ON	ON	FUJITSU M2312K	36.08	64	66.9		6
9	OFF	ON	ON	OFF	FUJITSU M2351A	37.08	*85	362.1		10

*NOTE: For 85 sectors set drive to 86 sectors.

ADDENDUM
ZETACO

FOR: 990 SMD+ ALTN TRACK (KPS) EPROM SET

ASSEMBLY #: 200-087-00
REV. LEVEL: A

BANK	SW4	SW3	SW2	SW1	DISK DRIVES SUPPORTED	DT CODE	SECT	SIZE MB	MAP	CYL
****	***	***	***	***	*****	*****	****	*****	*****	*****
10	OFF	ON	OFF	ON	FUJITSU M2284K FUJITSU M2322K	38.08	64	133.2		10
11	OFF	ON	OFF	OFF	NONE	0.00	0	0		0
12	OFF	OFF	ON	ON	NONE	0.00	0	0		0
13	OFF	OFF	ON	OFF	NONE	0.00	0	0		0
14	OFF	OFF	OFF	ON	NONE	0.00	0	0		0
15	OFF	OFF	OFF	OFF	NONE	0.00	0	0		0